

Technical Product Data Sheet

Intertape® 51578



Intertape® 51578 is an electrical insulation tape with a combined backing of PET Film, paper fleece and a thermosetting, rubber adhesive compound. It is resistant to light and aging, has high adhesive strength, is impregnant-neutral, free of corrosion-promoting components, and it is UL-listed.

Nominal Values

Backing PET Laminate, PET Film / Paper-Non-Woven

Backing Thickness 0,089 mm

Adhesive Type Natural Rubber, thermosetting

Total Thickness 0,140 mm

Insulation Class B 130°C (DIN EN 60085, OANZ2 & OANZ8)

Color White (08)

Adhesion to Steel | 19,00 N/25 mm

Tensile Strength 175,00 N/25 mm

Elongation at Break 2%

Dielectric Strength 4500 V

Insulation Resistance (mega Ω) 10⁴ Ω

Electrolytic Corrosion | A1,0

Flammability BU3

UL-File # | E20780

CSA-File # LR94980

Length 55 m, other lengths upon request

Width 6 mm, 9 mm, 12 mm, 15 mm, 19 mm, 25 mm, 30 mm, 38 mm, 50 mm, other

widths upon request

Storage Life The material can be stored at room temperature for at least 12 months.

Effective 02 May 2022



We provide the technical data of our products to the best of our knowledge, but without obligation. Due to the wide range of material and environmental influences, we recommend a suitability test on original products prior to use. Please also note the standard processing guidelines for adhesive tapes, which we will gladly send you upon request.











DE-79227 Schallstadt



Technical Product Data Sheet

Intertape® 51578



Applications

- Slot edging
- Lead anchoring
- Coil wrapping
- Harness
- Inter-phase/Inter-layer insulation

Storage Conditions

The Rolls should be stored in their packaging protected from light and at a temperature between 18°C to 24°C, with a relative humidity of 40% to 50%. When using an adhesive tape stored below 18°C, it is advisable to keep the tape at room temperature for 24 hours to preserve its characteristics.

Print Date: 29.08.2025





We provide the technical data of our products to the best of our knowledge, but without obligation. Due to the wide range of material and environmental influences, we recommend a suitability test on original products prior to use. Please also note the







