

## **Technical Product Data Sheet**

## volzBand 5041

volzBand 5041 is made from a premium viscose fabric combined with a particularly strong, synthetic rubber-based, pressure-sensitive adhesive. It is specifically intended for taping wire harnesses. It is also used for bandaging in the veterinary field.

### **Nominal Values**

**Backing** Uncoated Cloth, Viscose Cloth

**Adhesive Type** Synthetic Rubber

**Total Thickness** 0,300 mm, (± 0,020 mm)

> Color Black (04), Off-White (22)

**Adhesion to Steel** ≥ 12,50 N/25 mm (Stahl), ≥ 11,25 N/25 mm (Bandrücken)

**Tensile Strength** 200,00 N/25 mm

**Elongation at Break** ≥ 10%

**Temperature Resistance** -4°C to +105°C

> Length 50 m, (± 2%), other lengths upon request

9 mm, 15 mm, 19 mm, 25 mm, 30 mm, 38 mm, 50 mm, (± 1 mm), other Width

widths upon request

**Storage Life** The material can be stored at room temperature for at least 12 months.

**Effective** 30 August 2023







We provide the technical data of our products to the best of our knowledge, but without obligation. Due to the wide range of material and environmental influences, we recommend a suitability test on original products prior to use. Please also note the









DE-79227 Schallstadt



# **Technical Product Data Sheet**

## volzBand 5041

### **Applications**

- Bandaging of cable sets
- Bandage in the veterinary field

#### **Benefits**

- Very high adhesive strength
- Flexible and pliable
- Free of harmful substances
- Good media resistance
- Hand-tearable

### **Storage Conditions**

The Rolls should be stored in their packaging protected from light and at a temperature between 18°C to 24°C, with a relative humidity of 40% to 50%. When using an adhesive tape stored below 18°C, it is advisable to keep the tape at room temperature for 24 hours to preserve its characteristics. The best results are obtained at a processing temperature between 20° & 24°C.

Print Date: 17.09.2025





DE-79227 Schallstadt

We provide the technical data of our products to the best of our knowledge, but without obligation. Due to the wide range of material and environmental influences, we recommend a suitability test on original products prior to use. Please also note the







