

## **Technical Product Data Sheet**

## volzElektro 1401



volzElektro 1401 is a Teonex® film coated on one side with high-temperature silicone adhesive. Designed for high temperature electrical applications where a thin, strong backing combined with excellent dielectrical properties are required.

### **Nominal Values**

**Backing** Teonex® Film

**Backing Thickness** 0,050 mm

Adhesive Type | Silicone

**Total Thickness** 0,085 mm

**Insulation Class** H 180°C (DIN EN 60085, OANZ2 & OANZ8)

Color Red (19)

**Adhesion to Steel** 6,25 N/25 mm

**Tensile Strength** 225,00 N/25 mm

**Elongation at Break** 60%

**Dielectric Strength** 8000 V

Electrolytic Corrosion | 1

Rolling Ball Tack < 10 cm

**Temperature Resistance** +240°C, (short-term)

**Length** 66 m, other lengths upon request

**Width** 6 mm, 9 mm, 12 mm, 15 mm, 19 mm, 25 mm, 30 mm, 38 mm, 50 mm, 75

mm, 1000 mm, other widths upon request

**Storage Life** The material can be stored at room temperature for at least 12 months.

**Effective** 20 October 2020















DE-79227 Schallstadt



# **Technical Product Data Sheet**

## volzElektro 1401



### **Applications**

- Insulation of bobbins, pencil coils, transformers, motors, capacitors, etc.
- Cable and copper wire manufacturers

#### **Benefits**

- High Temperature Resistance
- Good Adhesion on Difficult Substrates
- Good Chemical and Solvent Resistance

#### **Storage Conditions**

The Rolls should be stored in their packaging protected from light and at a temperature between 15°C to 24°C, with a relative humidity of 50% +/- 30%. When using an adhesive tape stored below 15°C, it is advisable to keep the tape at room temperature for 24 hours to preserve its characteristics.

Print Date: 27.07.2025



DE-79227 Schallstadt



We provide the technical data of our products to the best of our knowledge, but without obligation. Due to the wide range of material and environmental influences, we recommend a suitability test on original products prior to use. Please also note the







