


## volzFix 9070




volzFix 9070 is a double-sided adhesive tape with a PVC-film backing and a modified-solvent acrylic adhesive. The tape has very Strong adhesion and holding power. It also has a very good electrical and temperature resistance.

### Nominal Values

|                               |   |
|-------------------------------|---|
| <b>Backing</b>                | PVC Film  |
| <b>Backing Thickness</b>      | 0,100 mm  |
| <b>Adhesive Type</b>          | modified, Solvent Acrylic   |
| <b>Total Thickness</b>        | 0,230 mm  |
| <b>Color</b>                  | White (08)  |
| <b>Liner</b>                  | 90 g, brown, siliconized Paper  |
| <b>Adhesion to Steel</b>      | ≥ 35,00 N/25 mm, FINAT9 & ASTM/D3121-94   |
| <b>Shear Strength</b>         | ≥ 168 h, FINAT-8 & ASTM/D3654M-02   |
| <b>Rolling Ball Tack</b>      | ≥ 3 cm (ASTM/D3654M-04 ), ≥ 16,00 N/25 mm (FINAT1)  |
| <b>Temperature Resistance</b> | -20°C to ++80°C, -40°C to +80°C (short-term)  |
| <b>Length</b>                 | 50 m, 100 m, 500 m, other lengths upon request  |
| <b>Width</b>                  | 6 mm, 9 mm, 12 mm, 15 mm, 19 mm, 25 mm, 30 mm, 38 mm, 50 mm, 1240 mm, other widths upon request |
| <b>Storage Life</b>           | The material can be stored at room temperature for at least 12 months.                          |
| <b>Effective</b>              | 18 February 2022  |

## volzFix 9070



### Applications

- Suitable for die-cutting
- Widely applied in membrane switch industries and electronic industries, e.g. mobile phone

### Benefits

- Very Strong adhesion and holding power
- With PVC as carrier, the tape has a very good electrical insulation and temperature resistance
- Good die-cutting properties

### Storage Conditions

The Rolls should be stored in their packaging protected from light and at a temperature between 15°C to 24°C, with a relative humidity of 50% +/- 30%. When using an adhesive tape stored below 15°C, it is advisable to keep the tape at room temperature for 24 hours to preserve its characteristics.

Print Date: 18.01.2026