

Technical Product Data Sheet

volzFix V9065



volzFixV9065 is a double-sided adhesive tape consisting of a transparent polyester film and a modified acrylate adhesive. The tape features very good resistance to UV radiation, temperature stress, chemicals and solvents, and moisture. In addition, the shear-resistant adhesive has excellent permanent adhesion to metal, paint and other highenergy plastic surfaces, as well as good permanent adhesion to low-energy surfaces.

Nominal Values

Backing PET Film

Backing Thickness 0,012 mm

Adhesive Type | modified, Acrylic

Total Thickness 0,210 mm

Color Clear (00)

Liner bi-siliconized, PP Film

Adhesion to Steel 24,00 N/25 mm

Loop Tack 33,00 N/25 mm

Shear Strength > 400 h

Temperature Resistance 40°C to +160°C, +180°C (short-term)

Length 50 m, 500 m, other lengths upon request

Width 6 mm, 9 mm, 12 mm, 15 mm, 19 mm, 25 mm, 30 mm, 38 mm, 50 mm, 1372

mm, other widths upon request

Storage Life The material can be stored at room temperature for at least 12 months.

Effective 11 August 2021















DE-79227 Schallstadt



Technical Product Data Sheet

volzFix V9065



Applications

- Bonding of car and truck exterior mirrors in plastic housings with simultaneous splinter protection
- Finishing of moldings, trim panels and cable ducts
- Splicing of paper, textile, plastic and metal foils where very high shear and adhesion strength is required

Benefits

- Very good resistance to UV radiation, temperature stress, chemicals and solvents, and moisture
- Excellent permanent adhesion to metal, paint and other high-energy plastic surfaces
- Also suitable for rough or textured surfaces due to the thicker adhesive layer

Storage Conditions

The Rolls should be stored in their packaging protected from light and at a temperature between 19°C to 21°C, with a relative humidity of 50%. When using an adhesive tape stored below 19°C, it is advisable to keep the tape at room temperature for 24 hours to preserve its characteristics.

Print Date: 29.08.2025





We provide the technical data of our products to the best of our knowledge, but without obligation. Due to the wide range of material and environmental influences, we recommend a suitability test on original products prior to use. Please also note the







