

# volzMount 9053



volzMount 9053 is a white, closed cells, low density PE foam coated with a high performance rubber adhesive system and protected by siliconized paper release liner. Designed for general purpose mounting, assembling of displays, hooks, cable clips, plastic profiles, posters, etc. High thickness, ideal for applications on rough and irregular surfaces.

## **Nominal Values**

Backing	PE Foam
<b>Backing Thickness</b>	2,000 mm
Adhesive Type	Synthetic Rubber
Total Thickness	2,100 mm
Color	White (08)
Liner	White, bi-siliconized, Paper
Adhesion to Steel	8,75 N/25 mm, (90°)
Shear Strength	≥ 168 h
Rolling Ball Tack	🛙 10 cm
Temperature Resistance	-10°C to +70°C, 100°C (short-term)
Length	25 m, other lengths upon request
Width	6 mm, 9 mm, 12 mm, 15 mm, 19 mm, 25 mm, 30 mm, 38 mm, 50 mm, 1500 mm, other widths upon request
Storage Life	The material can be stored at room temperature for at least 12 months.
Effective	06 December 2021



We provide the technical data of our products to the best of our knowledge, but without obligation. Due to the wide range of material and environmental influences, we recommend a suitability test on original products prior to use. Please also note the standard processing guidelines for adhesive tapes, which we will gladly send you upon request.

Phone: +49 (0)7664 50500-0 info@volztapes.com +49 (0)7664 50500-50 www.volztapes.com













# volzMount 9053



### **Applications**

- Mounting of plastic parts and mirrors in the automotive industry
- Mounting of decorative profiles, furniture trims, electrical conduits
- Mounting of nameplates, emblems and plastic profiles in the building & construction industry

### **Benefits**

• Bonding of mouldings, profiles, mirrors and glazing bars indoors and outdoors

### **Storage Conditions**

The Rolls should be stored in their packaging protected from light and at a temperature between 19°C to 21°C, with a relative humidity of 50%. When using an adhesive tape stored below 19°C, it is advisable to keep the tape at room temperature for 24 hours to preserve its characteristics.

Print Date: 29.08.2025



We provide the technical data of our products to the best of our knowledge, but without obligation. Due to the wide range of material and environmental influences, we recommend a suitability test on original products prior to use. Please also note the standard processing guidelines for adhesive tapes, which we will gladly send you upon request.

Phone: +49 (0)7664 50500-0 info@volztapes.com Fax: +49 (0)7664 50500-50 www.volztapes.com









