

# **Technical Product Data Sheet**

## volzMount V5324



volzMount V5324 is a double-sided, self-adhesive tape with a 67 kg/m³, closed-cell, PE-foam carrier and a clear solventacrylic adhesive. It has a very aggressive adhesive and a high tack.

## **Nominal Values**

**Backing** 67 kg/m³, closed-cell, PE Foam

**Adhesive Type** Solvent Acrylic

**Total Thickness** 1,000 mm

> Color Black (04), White (08)

Liner red, bi-siliconized, PP Film

Adhesion to Steel (N/25mm) 14,00 N/25 mm

> **Tensile Strength** > 23,00 N/25 mm

**Elongation at Break** >219%

> **Shear Strength**  $(\pm 10\%)$ , > 2 h

**Rolling Ball Tack** □ 2 cm

**Temperature Resistance** -20°C to +90°C

> Length 66 m, 350 m, other lengths upon request

6 mm, 9 mm, 12 mm, 15 mm, 19 mm, 25 mm, 30 mm, 38 mm, 50 mm, 1200 Width

mm, other widths upon request

**Storage Life** The material can be stored at room temperature for at least 12 months.

**Effective** 2 August 2023





DE-79227 Schallstadt



We provide the technical data of our products to the best of our knowledge, but without obligation. Due to the wide range of material and environmental influences, we recommend a suitability test on original products prior to use. Please also note the









# **Technical Product Data Sheet**

# volzMount V5324



### **Applications**

- Bonding of profiles, frames, nameplates, profiles, emblems & plastics
- Suitable for all vertical applications in particular fixing of accessories
- accessories Suitable for permanent fixing of glass and mirrors
- Used as sound insulation and vibration control in automotive and industrial equipment

#### **Benefits**

- Adhesive with good adhesion, high tack and good cohesion
- Resistant to weathering and chemicals
- Good UV resistance

#### **Storage Conditions**

The Rolls should be stored in their packaging protected from light and at a temperature between 19°C to 21°C, with a relative humidity of 50%. When using an adhesive tape stored below 19°C, it is advisable to keep the tape at room temperature for 24 hours to preserve its characteristics.

Print Date: 19.04.2024











