

Technical Product Data Sheet

volzMount V5346 PV2

volzMount V5346 PV2 is 1,0 mm white, medium density PE foam coated with a high-performance rubber adhesive system and protected by siliconized paper release liner. Designed for general purpose mounting, assembling of displays, hooks, cable clips, plastic profiles, emblems.

Nominal Values

Backing PE Foam, closed-cell, White, 67 kg/m³

Adhesive Type Solvent Rubber, Clear

Total Thickness 1,000 mm

> Color White (08)

Liner 90 g/m², white, bi-siliconized, Paper

Adhesion to Steel 9.81 N/25 mm

Temperature Resistance -10°C to +70°C

> Length 33 m, 300 m, other lengths upon request

Width 6 mm, 9 mm, 12 mm, 15 mm, 19 mm, 25 mm, 30 mm, 38 mm, 50 mm, 1000


mm, other widths upon request

Storage Life The material can be stored at room temperature for at least 12 months.

Effective 22 November 2023







DE-79227 Schallstadt

Phone: +49 (0)7664 50500-0 Fax:

info@volztapes.com +49 (0)7664 50500-50 www.volztapes.com



We provide the technical data of our products to the best of our knowledge, but without obligation. Due to the wide range of material and environmental influences, we recommend a suitability test on original products prior to use. Please also note the











Technical Product Data Sheet

volzMount V5346 PV2

Applications

- Used as sound insulation and vibration control in automotive and industrial equipment
- Suitable as wrapping for electronic components, gaskets, etc.
- Mounting of material such as profiles, wood, plastic, metal, rubber, EPDM, etc. where it is necessary to have a high tack

Benefits

- Adhesive with aggressive, high tack to high cohesion
- Good resistance against humidity, mild acids, oils, and fats

Storage Conditions

The Rolls should be stored in their packaging protected from light and at a temperature between 15°C to 24°C, with a relative humidity of 50% +/- 30%. When using an adhesive tape stored below 15°C, it is advisable to keep the tape at room temperature for 24 hours to preserve its characteristics.

Print Date: 03.11.2025





DE-79227 Schallstadt

standard processing guidelines for adhesive tapes, which we will gladly send you upon request.

We provide the technical data of our products to the best of our knowledge, but without obligation. Due to the wide range of material and environmental influences, we recommend a suitability test on original products prior to use. Please also note the







