

Technical Product Data Sheet

volzPack 2082 PV7

volzPack 2082 PV7 is a Hotmelt, synthetic rubber adhesive tape with a biaxially oriented clear polypropylene film liner. It is a heavy duty carton sealing tape suitable for manual application with dispensers. Also suitable for machine application.

Nominal Values

BOPP Film Backing

Backing Thickness 0,028 mm

> **Adhesive Type** Clear Hotmelt Synthetic Rubber

Total Thickness 0,050 mm

> Color Brown (79), White (08), Clear (00)

Adhesion to Steel 13,75 N/25 mm

Tensile Strength 112,50 N/25 mm

Elongation at Break 120%

> **Shear Strength** 15 h*

Temperature Resistance +6°C to +45°C (Application), -10°C to +60°C (Service)

> Length 60 m, other lengths upon request

Width 48 mm, other widths upon request

The Rolls should be stored in their packaging protected from light and at a **Storage Life**

> temperature between 15°C to 24°C, with a relative humidity of 50% +/- 30%. When using an adhesive tape stored below 15°C, it is advisable to keep the tape at room temperature for 24 hours to preserve its characteristics.

Additional Info *To kraft paper at 50°C in oven

> **Effective** 24 March 2025



We provide the technical data of our products to the best of our knowledge, but without obligation. Due to the wide range of material and environmental influences, we recommend a suitability test on original products prior to use. Please also note the standard processing guidelines for adhesive tapes, which we will gladly send you upon request.











DE-79227 Schallstadt



Technical Product Data Sheet

volzPack 2082 PV7

Applications

- Suitable for all types of packaging applications
- Manual and automatic sealing of cartons
- · Suitable for heavy duty carton packaging
- Suitable for recycled cartons

Benefits

- Strong initial tack
- The high bond strength of the adhesive ensures permanent adhesion and safe storage, even in fluctuating temperatures
- Excellent adhesive strength even in recycled cartons

Storage Conditions

The material can be stored at room temperature for at least 12 months.

Print Date: 16.04.2025







We provide the technical data of our products to the best of our knowledge, but without obligation. Due to the wide range of material and environmental influences, we recommend a suitability test on original products prior to use. Please also note the









standard processing guidelines for adhesive tapes, which we will gladly send you upon request.