

Technical Product Data Sheet

volzFix V4171



volzFix V4171 is a double-sided, self-adhesive tape produced of a Non-Woven carrier and a clear, hot-melt, synthetic-rubber based adhesive. The product is perfect for permanent bonding of metal and plastics where high temperatures are not required. The product has also a very high tack.

Nominal Values

Backing Non-Woven

Backing Thickness 0,060 mm

Adhesive Type Synthetic Rubber, plasticizer free, Clear

Total Thickness 0,150 mm

Color Clear (00)

Liner 65 g, brown, bi-siliconized, Paper

Adhesion to Steel 27,50 N/25 mm

Tensile Strength 15,00 N/25 mm

Elongation at Break 2%

Shear Strength > 60 h

Rolling Ball Tack < 3 cm

Temperature Resistance | -20°C to +65°C

Length 25 m, 50 m, 100 m, 1000 m, 2350 m, other lengths upon request

Width 6 mm, 9 mm, 12 mm, 15 mm, 19 mm, 25 mm, 30 mm, 38 mm, 50 mm, 1500

mm, other widths upon request

Storage Life The material can be stored at room temperature for at least 12 months.

Effective 26 September 2024





DE-79227 Schallstadt



We provide the technical data of our products to the best of our knowledge, but without obligation. Due to the wide range of











Technical Product Data Sheet

volzFix V4171



Applications

- General purpose tissue tape
- Suitable for Lamination of PU Foams as well as for pre-fixing on paper, leather and plastic materials for temporary coupling before definitive fixing
- Suitable for cold flying splices
- Bonding of foils, cardboards, posters and more

Benefits

- Excellent tack
- Good adhesion
- Good conformability onto different surfaces
- Hand tearable
- Flexible carrier

Storage Conditions

The Rolls should be stored in their packaging protected from light and at a temperature between 19°C to 21°C, with a relative humidity of 50%. When using an adhesive tape stored below 19°C, it is advisable to keep the tape at room temperature for 24 hours to preserve its characteristics.

Print Date: 30.10.2025













