

volzMount V4303 PV1

volzMount V4303 PV1 is a double-sided, self-adhesive tape with a PE-foam carrier and a white, Hotmelt synthetic-rubber adhesive.

Nominal Values

Backing	PE Foam (50kg/m ³)
Adhesive Type	Hotmelt Synthetic Rubber
Total Thickness	2,00 mm
Color	White (08)
Liner	Yellow, bi-siliconized Paper
Adhesion to Steel	20,00 N/25 mm
Tensile Strength	5 N/12 mm
Elongation at Break	200%
Shear Strength	20 mm
Temperature Resistance	#BEZUG!
Length	25 m, 33 m, 140 m, 145 m, 155 m, other lengths upon request
Width	6 mm, 9 mm, 12 mm, 19 mm, 25 mm, 30 mm, 38 mm, 50 mm, 1000 mm, other widths upon request
Storage Life	The material can be stored at room temperature for at least 12 months.
Effective	24 April 2025

volzMount V4303 PV1

Applications

Storage Conditions

The Rolls should be stored in their packaging protected from light and at a temperature between 15°C to 24°C, with a relative humidity of 50% +/- 30%. When using an adhesive tape stored below 15°C, it is advisable to keep the tape at room temperature for 24 hours to preserve its characteristics.

Print Date: 29.01.2026