

volzPack 1020

volzPack 1020 is a packaging tape with a natural rubber adhesive on a PVC film. The tape is printable and also available as a machine roll.

Nominal Values

Backing	PVC Film
Backing Thickness	0,032 mm (± 10%)
Adhesive Type	Natural Rubber
Total Thickness	0,051 mm (± 10%)
Color	Brown (79), White (08), Clear (00)
Adhesion to Steel	6,00 N/25 mm
Tensile Strength	117,50 N/25 mm
Elongation at Break	60%
Temperature Resistance	+10°C to +45°C (Application), -25°C to +65°C (Service)
Length	66 m, 1000 m, other lengths upon request
Width	66 m: 12 mm, 15 mm, 19 mm, 25 mm, 38 mm, 50 mm, 75 mm 1000 m: 50 mm, 75 mm Other widths by request
Storage Life	The material can be stored at room temperature for at least 12 months.
Effective	20 February 2024

volzPack 1020

Applications

- Suitable for all types of packaging
- Ideal for storage at extreme temperatures and high humidity

Benefits

- Good adhesion even in recycled cartons
- Long lasting adhesive strength
- Printable with vinyl inks
- Excellent tack
- Easy and quiet unwinding

Storage Conditions

The Rolls should be stored in their packaging protected from light and at a temperature between 15°C to 24°C, with a relative humidity of 50% +/- 30%. When using an adhesive tape stored below 15°C, it is advisable to keep the tape at room temperature for 24 hours to preserve its characteristics.

Print Date: 15.05.2026