

## volzPack 3013 PV7

volzPack 3013 PV7 is packaging tape consisting of saturated crepe paper with a natural rubber and hydrocarbon resin adhesive. It has excellent tack with good, long lasting adhesion, even on boxes made from recycled paper. It is ideal for storage in extreme temperature conditions and high moisture environments.

### Nominal Values

<b>Backing</b>	Saturated Crepe Paper
<b>Backing Thickness</b>	0,090 mm
<b>Adhesive Type</b>	Natural rubber and Hydrocarbon Resins
<b>Total Thickness</b>	0,125 mm
<b>Color</b>	Brown (15)
<b>Adhesion to Steel</b>	6,25 N/25 mm
<b>Tensile Strength</b>	125,00 N/25 mm
<b>Temperature Resistance</b>	+2°C to +45°C (Application), -25°C to +65°C (Service)
<b>Length</b>	50 m, other lengths upon request
<b>Width</b>	50 mm, 1500 mm, other widths upon request
<b>Storage Life</b>	The material can be stored at room temperature for at least 12 months.
<b>Effective</b>	03 April 2025

## volzPack 3013 PV7

### Applications

- Packaging tape for cardboard boxes

### Benefits

- Good adhesion even in recycled cartons
- Excellent tack
- Long lasting adhesion
- Ideal for storage in extreme temperature conditions and high moisture environments
- Printable
- Hand tearable

### Storage Conditions

The Rolls should be stored in their packaging protected from light and at a temperature between 15°C to 24°C, with a relative humidity of 50% +/- 30%. When using an adhesive tape stored below 15°C, it is advisable to keep the tape at room temperature for 24 hours to preserve its characteristics.

Print Date: 20.01.2026