



Processing Devices



For Single and Double Sided
Tapes, Labels and Die-Cuts



VOLZ® TAPES - Your Self-Adhesive Technology Expert

VOLZ® TAPES is your specialist in self-adhesive technology. We deliver a large array of technical **self-adhesive tapes, die-cut parts, packing-materials and processing devices**.

In our state-of-the-art production facility, we develop and deliver extensive coating and converting solutions. We cut, slit, rewind, laser cut, spool, laminate, and more to customers' exact specifications. Our goal is to competently meet your requirements in an exceptional, yet cost-efficient and process-secure way.

The result: adhesive solutions in standard- and customized dimensions to meet most areas of application. We also supply the relevant packaging materials and processing equipment to simplify and improve your workflow and productivity.

VOLZ® TAPES is not only DIN EN ISO 9001:2015 (Quality Management) and DIN EN ISO 14001:2015 (Environmental Management System) certified, but also a UL certified re-packer, thus fulfilling GS1 standards by participating in the global GS1-System. In our modern equipped laboratory, we conduct all required tests such as: the adhesive peel of 90° & 180°, tensile strength, ultimate elongation, shear strength, rolling ball tack, loop tack and thickness test.

We are an active member of Afera (www.afera.com) and conduct our tests by this norm. Upon request, we also conduct tests using other customer required criteria.

Since 2014 we have been developing and producing double-sided adhesive tapes. Whether you need large or small jumbos, log rolls or other cut rolls, spools, plan rolls in neutral or in your own packaging, VOLZ® TAPES has the right solution to meet your most challenging needs.

We continually innovate and invest in our technology to ensure we are, and will remain in the future, your versatile self-adhesive solutions expert.

Processing Devices Simplify Your Production Processes



Processing devices rapidly and accurately handle single- and double-sided tapes, labels and die-cuts, saving you time and money in your production operations.

On the following pages, you will find an overview of our processing devices including information regarding our hand, bench, automatic tape, label and die-cut dispensers, as well as other accessories to augment your workflow and increase productivity. Matching spare parts and services are available for each individual product.

If the desired product is not listed or if you have any questions, please do not hesitate to contact us. Our contact information may be found on the reverse side of this catalog.

Profi Manual Tape Dispenser

PACK PROFI 161-21402
Manual Tape Dispenser



Blade Protection

Roller Brake

Double Pressure Rolls

Smart Cut Off

The well tested 161-21402 simply outperforms other professional manual tape dispensers.
















Are we boasting? Definitely, and for good reasons:

- 🕒 Ergonomic and easy to handle.
- 🕒 Roller brake offers easy and fast tape dispensing.
- 🕒 Double pressure rolls for simple, smooth tape application.
- 🕒 Strong metal parts, yet still lighter than other top professional manual dispensers.
- 🕒 Easy trigger release, therefore comfortable for continual, all-day use.
- 🕒 High-quality, sharp blade with finger protection minimizes stress on device joints and protects the user while providing a clean, straight cut.
- 🕒 Optimally mounted tension springs minimize the stress on the tape, maintaining tension without overstretching.
- 🕒 Neutral packaging permits marketing by multiple dealers.
















For more information visit our website at www.tapedispenser.de or email us at info@tapedispenser.de












Profi Manual Tape Dispensers

Article	Product picture	Technical data	Features															
161-21401 <ul style="list-style-type: none"> Professional manual tape dispenser for packaging tapes Tension control adjustable by hand Two contact pressure allow an especially simple and smooth tape application Hidden blade (blade protection) The tape cut-off is implemented by activating the release inside the handle 		<table border="1"> <tr> <td>Weight</td> <td>410 g</td> </tr> <tr> <td>Length/Width/Height</td> <td>205/40/210 mm</td> </tr> <tr> <td>Roll Diameter</td> <td>170 mm</td> </tr> <tr> <td>Roll Width</td> <td>25 mm</td> </tr> <tr> <td>Roll core</td> <td>3 inch = 76 mm</td> </tr> <tr> <td>Preset length adjustable</td> <td>No</td> </tr> <tr> <td>Adhesive tape type</td> <td>Single sided</td> </tr> </table>	Weight	410 g	Length/Width/Height	205/40/210 mm	Roll Diameter	170 mm	Roll Width	25 mm	Roll core	3 inch = 76 mm	Preset length adjustable	No	Adhesive tape type	Single sided	 Roller braker	 Double pressure rolls
Weight	410 g																	
Length/Width/Height	205/40/210 mm																	
Roll Diameter	170 mm																	
Roll Width	25 mm																	
Roll core	3 inch = 76 mm																	
Preset length adjustable	No																	
Adhesive tape type	Single sided																	
			 Blade protection	 Smart Cut off														
161-21402 <ul style="list-style-type: none"> Professional manual tape dispenser for packaging tapes Tension control adjustable by hand Two contact pressure allow an especially simple and smooth tape application Hidden blade (blade protection) The tape cut-off is implemented by activating the release inside the handle 		<table border="1"> <tr> <td>Weight</td> <td>520 g</td> </tr> <tr> <td>Length/Width/Height</td> <td>220/65/210 mm</td> </tr> <tr> <td>Roll Diameter</td> <td>170 mm</td> </tr> <tr> <td>Roll Width</td> <td>50 mm</td> </tr> <tr> <td>Roll core</td> <td>3 inch = 76 mm</td> </tr> <tr> <td>Preset length adjustable</td> <td>No</td> </tr> <tr> <td>Adhesive tape type</td> <td>Single sided</td> </tr> </table>	Weight	520 g	Length/Width/Height	220/65/210 mm	Roll Diameter	170 mm	Roll Width	50 mm	Roll core	3 inch = 76 mm	Preset length adjustable	No	Adhesive tape type	Single sided	 Roller braker	 Double pressure rolls
Weight	520 g																	
Length/Width/Height	220/65/210 mm																	
Roll Diameter	170 mm																	
Roll Width	50 mm																	
Roll core	3 inch = 76 mm																	
Preset length adjustable	No																	
Adhesive tape type	Single sided																	
			 Blade protection	 Smart Cut off														
161-21403 <ul style="list-style-type: none"> Professional manual tape dispenser for packaging tapes Tension control adjustable by hand Two contact pressure allow an especially simple and smooth tape application Hidden blade (blade protection) The tape cut-off is implemented by activating the release inside the handle 		<table border="1"> <tr> <td>Weight</td> <td>700 g</td> </tr> <tr> <td>Length/Width/Height</td> <td>215/90/210 mm</td> </tr> <tr> <td>Roll Diameter</td> <td>170 mm</td> </tr> <tr> <td>Roll Width</td> <td>75 mm</td> </tr> <tr> <td>Roll core</td> <td>3 inch = 76 mm</td> </tr> <tr> <td>Preset length adjustable</td> <td>No</td> </tr> <tr> <td>Adhesive tape type</td> <td>Single sided</td> </tr> </table>	Weight	700 g	Length/Width/Height	215/90/210 mm	Roll Diameter	170 mm	Roll Width	75 mm	Roll core	3 inch = 76 mm	Preset length adjustable	No	Adhesive tape type	Single sided	 Roller braker	 Double pressure rolls
Weight	700 g																	
Length/Width/Height	215/90/210 mm																	
Roll Diameter	170 mm																	
Roll Width	75 mm																	
Roll core	3 inch = 76 mm																	
Preset length adjustable	No																	
Adhesive tape type	Single sided																	
			 Blade protection	 Smart Cut off														








Classic Hand Dispensers

Article	Product picture	Technical data	Features														
505008 <ul style="list-style-type: none"> Hand dispenser for packaging tapes Tension control adjustable by hand 		<table border="1"> <tr><td>Weight</td><td>625 g</td></tr> <tr><td>Length/Width/Height</td><td>180/70/250 mm</td></tr> <tr><td>Roll Diameter</td><td>136 mm</td></tr> <tr><td>Roll Width</td><td>50 mm</td></tr> <tr><td>Roll core</td><td>3 inch = 76 mm</td></tr> <tr><td>Preset length adjustable</td><td>No</td></tr> <tr><td>Adhesive tape type</td><td>Single sided</td></tr> </table>	Weight	625 g	Length/Width/Height	180/70/250 mm	Roll Diameter	136 mm	Roll Width	50 mm	Roll core	3 inch = 76 mm	Preset length adjustable	No	Adhesive tape type	Single sided	 <p>Roller braker</p>
Weight	625 g																
Length/Width/Height	180/70/250 mm																
Roll Diameter	136 mm																
Roll Width	50 mm																
Roll core	3 inch = 76 mm																
Preset length adjustable	No																
Adhesive tape type	Single sided																
505009 <ul style="list-style-type: none"> Hand dispenser for packaging tapes Tension control adjustable by hand 		<table border="1"> <tr><td>Weight</td><td>785 g</td></tr> <tr><td>Length/Width/Height</td><td>180/100/250 mm</td></tr> <tr><td>Roll Diameter</td><td>136 mm</td></tr> <tr><td>Roll Width</td><td>75 mm</td></tr> <tr><td>Roll core</td><td>3 inch = 76 mm</td></tr> <tr><td>Preset length adjustable</td><td>No</td></tr> <tr><td>Adhesive tape type</td><td>Single sided</td></tr> </table>	Weight	785 g	Length/Width/Height	180/100/250 mm	Roll Diameter	136 mm	Roll Width	75 mm	Roll core	3 inch = 76 mm	Preset length adjustable	No	Adhesive tape type	Single sided	 <p>Roller braker</p>
Weight	785 g																
Length/Width/Height	180/100/250 mm																
Roll Diameter	136 mm																
Roll Width	75 mm																
Roll core	3 inch = 76 mm																
Preset length adjustable	No																
Adhesive tape type	Single sided																
161-4200 <ul style="list-style-type: none"> Hand dispenser for packaging tapes Tension control adjustable by hand Hidden blade (blade protection) Soft gummed handle for a comfortable, secure grip 		<table border="1"> <tr><td>Weight</td><td>500 g</td></tr> <tr><td>Length/Width/Height</td><td>180/60/230 mm</td></tr> <tr><td>Roll Diameter</td><td>140 mm</td></tr> <tr><td>Roll Width</td><td>50 mm</td></tr> <tr><td>Roll core</td><td>3 inch = 76 mm</td></tr> <tr><td>Preset length adjustable</td><td>No</td></tr> <tr><td>Adhesive tape type</td><td>Single sided</td></tr> </table>	Weight	500 g	Length/Width/Height	180/60/230 mm	Roll Diameter	140 mm	Roll Width	50 mm	Roll core	3 inch = 76 mm	Preset length adjustable	No	Adhesive tape type	Single sided	 <p>Roller braker</p>  <p>Blade protection</p>  <p>Comfortable grip</p>
Weight	500 g																
Length/Width/Height	180/60/230 mm																
Roll Diameter	140 mm																
Roll Width	50 mm																
Roll core	3 inch = 76 mm																
Preset length adjustable	No																
Adhesive tape type	Single sided																
tesa® 6300 <ul style="list-style-type: none"> tesa hand dispenser for packaging tapes tension control adjustable by hand covered blade 		<table border="1"> <tr><td>Weight</td><td>350 g</td></tr> <tr><td>Length/Width/Height</td><td>150/65/240 mm</td></tr> <tr><td>Roll Diameter</td><td>120 mm</td></tr> <tr><td>Roll Width</td><td>50 mm</td></tr> <tr><td>Roll core</td><td>3 inch = 76 mm</td></tr> <tr><td>Preset length adjustable</td><td>No</td></tr> <tr><td>Adhesive tape type</td><td>Single sided</td></tr> </table>	Weight	350 g	Length/Width/Height	150/65/240 mm	Roll Diameter	120 mm	Roll Width	50 mm	Roll core	3 inch = 76 mm	Preset length adjustable	No	Adhesive tape type	Single sided	 <p>Roller braker</p>  <p>Covered blade</p>
Weight	350 g																
Length/Width/Height	150/65/240 mm																
Roll Diameter	120 mm																
Roll Width	50 mm																
Roll core	3 inch = 76 mm																
Preset length adjustable	No																
Adhesive tape type	Single sided																
tesa® 6400 <ul style="list-style-type: none"> Professional tesa hand dispenser for packaging tapes Tension control adjustable by hand Hidden blade (injury protection) Soft gummed handle for a comfortable, secure grip 		<table border="1"> <tr><td>Weight</td><td>500 g</td></tr> <tr><td>Length/Width/Height</td><td>220/60/220 mm</td></tr> <tr><td>Roll Diameter</td><td>140 mm</td></tr> <tr><td>Roll Width</td><td>50 mm</td></tr> <tr><td>Roll core</td><td>3 inch = 76 mm</td></tr> <tr><td>Preset length adjustable</td><td>No</td></tr> <tr><td>Adhesive tape type</td><td>Single sided</td></tr> </table>	Weight	500 g	Length/Width/Height	220/60/220 mm	Roll Diameter	140 mm	Roll Width	50 mm	Roll core	3 inch = 76 mm	Preset length adjustable	No	Adhesive tape type	Single sided	 <p>Roller braker</p>  <p>Blade protection</p>  <p>Comfortable grip</p>
Weight	500 g																
Length/Width/Height	220/60/220 mm																
Roll Diameter	140 mm																
Roll Width	50 mm																
Roll core	3 inch = 76 mm																
Preset length adjustable	No																
Adhesive tape type	Single sided																





Special Hand Dispensers

Article	Product picture	Technical data	Features														
161-0213 <ul style="list-style-type: none"> Hand dispenser for double sided tapes The release tape will be coiled Adjustable brake, stop trigger cuts the tape 		<table border="1"> <tr><td>Weight</td><td>330 g</td></tr> <tr><td>Length/Width/Height</td><td>150/25/210 mm</td></tr> <tr><td>Roll Diameter</td><td>150 mm</td></tr> <tr><td>Roll Width</td><td>25 mm</td></tr> <tr><td>Roll core</td><td>3 inch = 76 mm</td></tr> <tr><td>Preset length adjustable</td><td>No</td></tr> <tr><td>Adhesive tape type</td><td>Double sided</td></tr> </table>	Weight	330 g	Length/Width/Height	150/25/210 mm	Roll Diameter	150 mm	Roll Width	25 mm	Roll core	3 inch = 76 mm	Preset length adjustable	No	Adhesive tape type	Double sided	<div style="display: flex; justify-content: space-around;"> <div style="text-align: center;">  <p>Roller braker</p> </div> <div style="text-align: center;">  <p>Without blade</p> </div> </div>
Weight	330 g																
Length/Width/Height	150/25/210 mm																
Roll Diameter	150 mm																
Roll Width	25 mm																
Roll core	3 inch = 76 mm																
Preset length adjustable	No																
Adhesive tape type	Double sided																
tesa® 6032 <ul style="list-style-type: none"> Special hand dispenser for filament and strapping tapes Special blade to cut filament reinforced packaging tapes 		<table border="1"> <tr><td>Weight</td><td>335 g</td></tr> <tr><td>Length/Width/Height</td><td>220/45/80 mm</td></tr> <tr><td>Roll Diameter</td><td>150 mm</td></tr> <tr><td>Roll Width</td><td>25 mm</td></tr> <tr><td>Roll core</td><td>3 inch = 76 mm</td></tr> <tr><td>Preset length adjustable</td><td>No</td></tr> <tr><td>Adhesive tape type</td><td>Single sided</td></tr> </table>	Weight	335 g	Length/Width/Height	220/45/80 mm	Roll Diameter	150 mm	Roll Width	25 mm	Roll core	3 inch = 76 mm	Preset length adjustable	No	Adhesive tape type	Single sided	<div style="text-align: center;">  <p>Smooth blade</p> </div>
Weight	335 g																
Length/Width/Height	220/45/80 mm																
Roll Diameter	150 mm																
Roll Width	25 mm																
Roll core	3 inch = 76 mm																
Preset length adjustable	No																
Adhesive tape type	Single sided																
tesa® 6076 <ul style="list-style-type: none"> Special hand dispenser with robust metal housing for packaging tapes 		<table border="1"> <tr><td>Weight</td><td>500 g</td></tr> <tr><td>Length/Width/Height</td><td>165/60/130 mm</td></tr> <tr><td>Roll Diameter</td><td>120 mm</td></tr> <tr><td>Roll Width</td><td>50 mm</td></tr> <tr><td>Roll core</td><td>3 inch = 76 mm</td></tr> <tr><td>Preset length adjustable</td><td>No</td></tr> <tr><td>Adhesive tape type</td><td>Single sided</td></tr> </table>	Weight	500 g	Length/Width/Height	165/60/130 mm	Roll Diameter	120 mm	Roll Width	50 mm	Roll core	3 inch = 76 mm	Preset length adjustable	No	Adhesive tape type	Single sided	<div style="text-align: center;">  <p>Smooth blade</p> </div>
Weight	500 g																
Length/Width/Height	165/60/130 mm																
Roll Diameter	120 mm																
Roll Width	50 mm																
Roll core	3 inch = 76 mm																
Preset length adjustable	No																
Adhesive tape type	Single sided																
161-0270-50 <ul style="list-style-type: none"> Special hand dispenser with robust metal housing for packaging tapes Identically constructed dispenser for tapes in: 19mm Width: 161-0270-19 25mm Width: 161-0270-25 30mm Width: 161-0270-30 38mm Width: 161-0270-38 		<table border="1"> <tr><td>Weight</td><td>480 g</td></tr> <tr><td>Length/Width/Height</td><td>165/55/125 mm</td></tr> <tr><td>Roll Diameter</td><td>110 mm</td></tr> <tr><td>Roll Width</td><td>50 mm</td></tr> <tr><td>Roll core</td><td>3 inch = 76 mm</td></tr> <tr><td>Preset length adjustable</td><td>No</td></tr> <tr><td>Adhesive tape type</td><td>Single sided</td></tr> </table>	Weight	480 g	Length/Width/Height	165/55/125 mm	Roll Diameter	110 mm	Roll Width	50 mm	Roll core	3 inch = 76 mm	Preset length adjustable	No	Adhesive tape type	Single sided	<div style="text-align: center;">  <p>Smooth blade</p> </div>
Weight	480 g																
Length/Width/Height	165/55/125 mm																
Roll Diameter	110 mm																
Roll Width	50 mm																
Roll core	3 inch = 76 mm																
Preset length adjustable	No																
Adhesive tape type	Single sided																










Classic Bench Dispensers

Article	Product picture	Technical data	Features														
161-0257 <ul style="list-style-type: none"> Bench dispenser for processing tapes For 1"-core or also 3"-core Non-slip 		<table border="1"> <tr><td>Weight</td><td>1280 g</td></tr> <tr><td>Length/Width/Height</td><td>220/79/90 mm</td></tr> <tr><td>Roll Diameter</td><td>110 mm</td></tr> <tr><td>Roll Width</td><td>25 mm</td></tr> <tr><td>Roll core</td><td>1,5 or 3 inch</td></tr> <tr><td>Preset length adjustable</td><td>No</td></tr> <tr><td>Adhesive tape type</td><td>Single sided</td></tr> </table>	Weight	1280 g	Length/Width/Height	220/79/90 mm	Roll Diameter	110 mm	Roll Width	25 mm	Roll core	1,5 or 3 inch	Preset length adjustable	No	Adhesive tape type	Single sided	
Weight	1280 g																
Length/Width/Height	220/79/90 mm																
Roll Diameter	110 mm																
Roll Width	25 mm																
Roll core	1,5 or 3 inch																
Preset length adjustable	No																
Adhesive tape type	Single sided																
tesa® 57422 <ul style="list-style-type: none"> Bench dispenser for processing tapes Non-slip base, sturdy case Serrated blade for a clean, convenient cut 		<table border="1"> <tr><td>Weight</td><td>2000 g</td></tr> <tr><td>Length/Width/Height</td><td>230/70/130 mm</td></tr> <tr><td>Roll Diameter</td><td>110 mm</td></tr> <tr><td>Roll Width</td><td>25 mm</td></tr> <tr><td>Roll core</td><td>3 inch = 76 mm</td></tr> <tr><td>Preset length adjustable</td><td>No</td></tr> <tr><td>Adhesive tape type</td><td>Single sided</td></tr> </table>	Weight	2000 g	Length/Width/Height	230/70/130 mm	Roll Diameter	110 mm	Roll Width	25 mm	Roll core	3 inch = 76 mm	Preset length adjustable	No	Adhesive tape type	Single sided	
Weight	2000 g																
Length/Width/Height	230/70/130 mm																
Roll Diameter	110 mm																
Roll Width	25 mm																
Roll core	3 inch = 76 mm																
Preset length adjustable	No																
Adhesive tape type	Single sided																
tesa® 6090 <ul style="list-style-type: none"> Robust bench dispenser with steel case for strapping and packaging tapes For up to two rolls Separate blade for each roll 		<table border="1"> <tr><td>Weight</td><td>2500 g</td></tr> <tr><td>Length/Width/Height</td><td>270/70/125 mm</td></tr> <tr><td>Roll Diameter</td><td>125 mm</td></tr> <tr><td>Roll Width</td><td>2 x 25 mm</td></tr> <tr><td>Roll core</td><td>3 inch = 76 mm</td></tr> <tr><td>Preset length adjustable</td><td>No</td></tr> <tr><td>Adhesive tape type</td><td>Single sided</td></tr> </table>	Weight	2500 g	Length/Width/Height	270/70/125 mm	Roll Diameter	125 mm	Roll Width	2 x 25 mm	Roll core	3 inch = 76 mm	Preset length adjustable	No	Adhesive tape type	Single sided	 
Weight	2500 g																
Length/Width/Height	270/70/125 mm																
Roll Diameter	125 mm																
Roll Width	2 x 25 mm																
Roll core	3 inch = 76 mm																
Preset length adjustable	No																
Adhesive tape type	Single sided																

Special Bench Dispensers

Article	Product picture	Technical data	Features														
161-6080 <ul style="list-style-type: none"> Special purpose bench dispenser for diverse adhesive tapes Screw clamp allows flexible fastening of the dispenser, for example on desk edges 		<table border="1"> <tr><td>Weight</td><td>3200 g</td></tr> <tr><td>Length/Width/Height</td><td>260/320/210 mm</td></tr> <tr><td>Roll Diameter</td><td>140 mm</td></tr> <tr><td>Roll Width</td><td>1 roll: 100 mm 2 rolls: 2 x 50 mm</td></tr> <tr><td>Roll core</td><td>3 inch = 76 mm</td></tr> <tr><td>Preset length adjustable</td><td>No</td></tr> <tr><td>Adhesive tape type</td><td>Single sided</td></tr> </table>	Weight	3200 g	Length/Width/Height	260/320/210 mm	Roll Diameter	140 mm	Roll Width	1 roll: 100 mm 2 rolls: 2 x 50 mm	Roll core	3 inch = 76 mm	Preset length adjustable	No	Adhesive tape type	Single sided	  
Weight	3200 g																
Length/Width/Height	260/320/210 mm																
Roll Diameter	140 mm																
Roll Width	1 roll: 100 mm 2 rolls: 2 x 50 mm																
Roll core	3 inch = 76 mm																
Preset length adjustable	No																
Adhesive tape type	Single sided																










Special Bench Dispensers

Article	Product picture	Technical data	Features														
tesa® 6009 <ul style="list-style-type: none"> Special purpose bench dispenser for packaging and masking tapes Screw clamp allows flexible fastening of the dispenser, for example on desk edges 		<table border="1"> <tr><td>Weight</td><td>340 g</td></tr> <tr><td>Length/Width/Height</td><td>180/85/230 mm</td></tr> <tr><td>Roll Diameter</td><td>210 mm</td></tr> <tr><td>Roll Width</td><td>50 mm</td></tr> <tr><td>Roll core</td><td>3 inch = 76 mm</td></tr> <tr><td>Preset length adjustable</td><td>No</td></tr> <tr><td>Adhesive tape type</td><td>Single sided</td></tr> </table>	Weight	340 g	Length/Width/Height	180/85/230 mm	Roll Diameter	210 mm	Roll Width	50 mm	Roll core	3 inch = 76 mm	Preset length adjustable	No	Adhesive tape type	Single sided	 Mountable  Smooth blade
Weight	340 g																
Length/Width/Height	180/85/230 mm																
Roll Diameter	210 mm																
Roll Width	50 mm																
Roll core	3 inch = 76 mm																
Preset length adjustable	No																
Adhesive tape type	Single sided																
tesa® 6012 <ul style="list-style-type: none"> Special bench dispenser for packaging tapes Can be filled with either one wide roll or two narrow rolls of tape Can be fastened securely with the supplied clamp or with screws on the packing table 		<table border="1"> <tr><td>Weight</td><td>610 g</td></tr> <tr><td>Length/Width/Height</td><td>175/67/130 mm</td></tr> <tr><td>Roll Diameter</td><td>145 mm</td></tr> <tr><td>Roll Width</td><td>1 x 50 mm 2 x 25 mm</td></tr> <tr><td>Roll core</td><td>3 inch = 76 mm</td></tr> <tr><td>Preset length adjustable</td><td>No</td></tr> <tr><td>Adhesive tape type</td><td>Single sided</td></tr> </table>	Weight	610 g	Length/Width/Height	175/67/130 mm	Roll Diameter	145 mm	Roll Width	1 x 50 mm 2 x 25 mm	Roll core	3 inch = 76 mm	Preset length adjustable	No	Adhesive tape type	Single sided	 Mountable  Smooth blade  Screwable
Weight	610 g																
Length/Width/Height	175/67/130 mm																
Roll Diameter	145 mm																
Roll Width	1 x 50 mm 2 x 25 mm																
Roll core	3 inch = 76 mm																
Preset length adjustable	No																
Adhesive tape type	Single sided																
161-6021-N <ul style="list-style-type: none"> Robust table label and die-cut dispenser Can be filled with either one wide roll or two narrow rolls of tape 		<table border="1"> <tr><td>Weight</td><td>1400 g</td></tr> <tr><td>Length/Width/Height</td><td>250/150/130 mm</td></tr> <tr><td>Roll Diameter</td><td>Max. 180 mm</td></tr> <tr><td>Roll Width</td><td>Max. 100 mm</td></tr> <tr><td>Roll core</td><td>Not relevant</td></tr> <tr><td>Preset length adjustable</td><td>No</td></tr> <tr><td>Adhesive tape type</td><td>Label & die-cut</td></tr> </table>	Weight	1400 g	Length/Width/Height	250/150/130 mm	Roll Diameter	Max. 180 mm	Roll Width	Max. 100 mm	Roll core	Not relevant	Preset length adjustable	No	Adhesive tape type	Label & die-cut	 Without blade
Weight	1400 g																
Length/Width/Height	250/150/130 mm																
Roll Diameter	Max. 180 mm																
Roll Width	Max. 100 mm																
Roll core	Not relevant																
Preset length adjustable	No																
Adhesive tape type	Label & die-cut																



















Bag Sealing Dispensers

tesa® 6094 L <ul style="list-style-type: none"> Bag sealer for medium and large sized bags up to 5 kg weight and diameter of 11mm Hidden blade (blade protection) 		<table border="1"> <tr><td>Weight</td><td>1350 g</td></tr> <tr><td>Length/Width/Height</td><td>210/85/205 mm</td></tr> <tr><td>Roll Diameter</td><td>170 mm</td></tr> <tr><td>Roll Width</td><td>19 mm</td></tr> <tr><td>Roll core</td><td>3 inch = 76 mm</td></tr> <tr><td>Preset length adjustable</td><td>No</td></tr> <tr><td>Adhesive tape type</td><td>Single sided</td></tr> </table>	Weight	1350 g	Length/Width/Height	210/85/205 mm	Roll Diameter	170 mm	Roll Width	19 mm	Roll core	3 inch = 76 mm	Preset length adjustable	No	Adhesive tape type	Single sided	 Screwable  Blade protection
Weight	1350 g																
Length/Width/Height	210/85/205 mm																
Roll Diameter	170 mm																
Roll Width	19 mm																
Roll core	3 inch = 76 mm																
Preset length adjustable	No																
Adhesive tape type	Single sided																
tesa® 6256 S <ul style="list-style-type: none"> Like tesa® 6094 L, yet for diameter of 6 mm and up to 3 kg weight Hidden blade (blade protection) 		<table border="1"> <tr><td>Weight</td><td>610 g</td></tr> <tr><td>Length/Width/Height</td><td>185/70/270 mm</td></tr> <tr><td>Roll Diameter</td><td>130 mm</td></tr> <tr><td>Roll Width</td><td>12 mm</td></tr> <tr><td>Roll core</td><td>3 inch = 76 mm</td></tr> <tr><td>Preset length adjustable</td><td>No</td></tr> <tr><td>Adhesive tape type</td><td>Single sided</td></tr> </table>	Weight	610 g	Length/Width/Height	185/70/270 mm	Roll Diameter	130 mm	Roll Width	12 mm	Roll core	3 inch = 76 mm	Preset length adjustable	No	Adhesive tape type	Single sided	 Screwable  Blade protection
Weight	610 g																
Length/Width/Height	185/70/270 mm																
Roll Diameter	130 mm																
Roll Width	12 mm																
Roll core	3 inch = 76 mm																
Preset length adjustable	No																
Adhesive tape type	Single sided																














Semi-automatic Dispensers














Article	Product picture	Technical data	Features														
161-0237 <ul style="list-style-type: none"> 🕒 Semi-automatic dispenser for packaging tapes 🕒 Tapes is dispensed by pressing the handle 🕒 Adjustable pre-set tape length up to 100mm 🕒 Hidden blade (blade protection) 		<table border="1"> <tr><td>Weight</td><td>1400 g</td></tr> <tr><td>Length/Width/Height</td><td>200/105/125 mm</td></tr> <tr><td>Roll Diameter</td><td>140 mm</td></tr> <tr><td>Roll Width</td><td>25 mm</td></tr> <tr><td>Roll core</td><td>1 or 3 inch</td></tr> <tr><td>Preset length adjustable</td><td>Yes</td></tr> <tr><td>Adhesive tape type</td><td>Single sided</td></tr> </table>	Weight	1400 g	Length/Width/Height	200/105/125 mm	Roll Diameter	140 mm	Roll Width	25 mm	Roll core	1 or 3 inch	Preset length adjustable	Yes	Adhesive tape type	Single sided	 
Weight	1400 g																
Length/Width/Height	200/105/125 mm																
Roll Diameter	140 mm																
Roll Width	25 mm																
Roll core	1 or 3 inch																
Preset length adjustable	Yes																
Adhesive tape type	Single sided																
tesa® 6037 <ul style="list-style-type: none"> 🕒 Semi-automatic dispenser for packaging tapes 🕒 Tapes is dispensed by pressing the handle 🕒 Adjustable pre-set tape length up to 100mm 🕒 Hidden blade (blade protection) 		<table border="1"> <tr><td>Weight</td><td>1400 g</td></tr> <tr><td>Length/Width/Height</td><td>200/105/125 mm</td></tr> <tr><td>Roll Diameter</td><td>140 mm</td></tr> <tr><td>Roll Width</td><td>30 mm</td></tr> <tr><td>Roll core</td><td>3 inch = 76 mm</td></tr> <tr><td>Preset length adjustable</td><td>Yes</td></tr> <tr><td>Adhesive tape type</td><td>Single sided</td></tr> </table>	Weight	1400 g	Length/Width/Height	200/105/125 mm	Roll Diameter	140 mm	Roll Width	30 mm	Roll core	3 inch = 76 mm	Preset length adjustable	Yes	Adhesive tape type	Single sided	 
Weight	1400 g																
Length/Width/Height	200/105/125 mm																
Roll Diameter	140 mm																
Roll Width	30 mm																
Roll core	3 inch = 76 mm																
Preset length adjustable	Yes																
Adhesive tape type	Single sided																
tesa® 6038 <ul style="list-style-type: none"> 🕒 Semi-automatic dispenser with robust metal case for packaging tapes 🕒 Tape is dispensed by pressing the handle 🕒 Adjustable pre-set tape length up to 100mm, adjustable by scale 🕒 Strips with non-adhesive tab possible (by folding the tape end) 🕒 Hidden blade (blade protection) 		<table border="1"> <tr><td>Weight</td><td>2600 g</td></tr> <tr><td>Length/Width/Height</td><td>270/120/175 mm</td></tr> <tr><td>Roll Diameter</td><td>140 mm</td></tr> <tr><td>Roll Width</td><td>30 mm</td></tr> <tr><td>Roll core</td><td>3 inch = 76 mm</td></tr> <tr><td>Preset length adjustable</td><td>Yes</td></tr> <tr><td>Adhesive tape type</td><td>Single sided</td></tr> </table>	Weight	2600 g	Length/Width/Height	270/120/175 mm	Roll Diameter	140 mm	Roll Width	30 mm	Roll core	3 inch = 76 mm	Preset length adjustable	Yes	Adhesive tape type	Single sided	 
Weight	2600 g																
Length/Width/Height	270/120/175 mm																
Roll Diameter	140 mm																
Roll Width	30 mm																
Roll core	3 inch = 76 mm																
Preset length adjustable	Yes																
Adhesive tape type	Single sided																
















Fully Automatic Dispensers
















Article	Product picture	Technical data	Features															
161-0259 <ul style="list-style-type: none"> Fully automatic tape dispenser, especially for Kapton-tapes Preset tape length from 15-70 mm Photocell for automatic donation-spending 		<table border="1"> <tr><td>Weight</td><td>1900 g</td></tr> <tr><td>Length/Width/Height</td><td>258/126/150 mm</td></tr> <tr><td>Roll Diameter</td><td>150 mm</td></tr> <tr><td>Roll Width</td><td>3-25 mm</td></tr> <tr><td>Roll core</td><td>Not relevant</td></tr> <tr><td>Preset length adjustable</td><td>Yes</td></tr> <tr><td>Adhesive tape type</td><td>Single sided</td></tr> </table>	Weight	1900 g	Length/Width/Height	258/126/150 mm	Roll Diameter	150 mm	Roll Width	3-25 mm	Roll core	Not relevant	Preset length adjustable	Yes	Adhesive tape type	Single sided	 Preset length adjustable	 Electrical
Weight	1900 g																	
Length/Width/Height	258/126/150 mm																	
Roll Diameter	150 mm																	
Roll Width	3-25 mm																	
Roll core	Not relevant																	
Preset length adjustable	Yes																	
Adhesive tape type	Single sided																	
161-0256 <ul style="list-style-type: none"> Fully automatic tape dispenser Digital Display of the preset length Preset tape length from 20-998 mm Photocell for automatic donation-spending Integrated safety guard mechanism 		<table border="1"> <tr><td>Weight</td><td>2400 g</td></tr> <tr><td>Length/Width/Height</td><td>218/137/150 mm</td></tr> <tr><td>Roll Diameter</td><td>180 mm</td></tr> <tr><td>Roll Width</td><td>7-50 mm</td></tr> <tr><td>Roll core</td><td>3 inch = 76 mm</td></tr> <tr><td>Preset length adjustable</td><td>Yes</td></tr> <tr><td>Adhesive tape type</td><td>Single & Double sided</td></tr> </table>	Weight	2400 g	Length/Width/Height	218/137/150 mm	Roll Diameter	180 mm	Roll Width	7-50 mm	Roll core	3 inch = 76 mm	Preset length adjustable	Yes	Adhesive tape type	Single & Double sided	 Counter	 Preset length adjustable  Electrical  Blade protection
Weight	2400 g																	
Length/Width/Height	218/137/150 mm																	
Roll Diameter	180 mm																	
Roll Width	7-50 mm																	
Roll core	3 inch = 76 mm																	
Preset length adjustable	Yes																	
Adhesive tape type	Single & Double sided																	
161-0269 <ul style="list-style-type: none"> Fully automatic tape dispenser Digital Display 6 different preset length can be stored (memory function) Preset tape length from 5-999 mm Photocell for automatic donation-spending No core holder, therefore several different core diameters can be used Automatically stops if tape feed is impaired Different main roller available 		<table border="1"> <tr><td>Weight</td><td>1600 g</td></tr> <tr><td>Length/Width/Height</td><td>213/116/140 mm</td></tr> <tr><td>Roll Diameter</td><td>300 mm</td></tr> <tr><td>Roll Width</td><td>6-60 mm</td></tr> <tr><td>Roll core</td><td>Not relevant</td></tr> <tr><td>Preset length adjustable</td><td>Yes</td></tr> <tr><td>Adhesive tape type</td><td>Single & Double sided</td></tr> </table>	Weight	1600 g	Length/Width/Height	213/116/140 mm	Roll Diameter	300 mm	Roll Width	6-60 mm	Roll core	Not relevant	Preset length adjustable	Yes	Adhesive tape type	Single & Double sided	 Counter	 Preset length adjustable  Electrical  Blade protection
Weight	1600 g																	
Length/Width/Height	213/116/140 mm																	
Roll Diameter	300 mm																	
Roll Width	6-60 mm																	
Roll core	Not relevant																	
Preset length adjustable	Yes																	
Adhesive tape type	Single & Double sided																	
161-0269-F <ul style="list-style-type: none"> Equivalent to 161-0269 Additionally it has an subsidiary function to produce a non-adhesive tab (by folding the tape end) 		<table border="1"> <tr><td>Weight</td><td>1830 g</td></tr> <tr><td>Length/Width/Height</td><td>222/116/148 mm</td></tr> <tr><td>Roll Diameter</td><td>300 mm</td></tr> <tr><td>Roll Width</td><td>6-60 mm</td></tr> <tr><td>Roll core</td><td>Not relevant</td></tr> <tr><td>Preset length adjustable</td><td>Yes</td></tr> <tr><td>Adhesive tape type</td><td>Single & Double sided</td></tr> </table>	Weight	1830 g	Length/Width/Height	222/116/148 mm	Roll Diameter	300 mm	Roll Width	6-60 mm	Roll core	Not relevant	Preset length adjustable	Yes	Adhesive tape type	Single & Double sided	 Counter	 Preset length adjustable  Electrical  Blade protection
Weight	1830 g																	
Length/Width/Height	222/116/148 mm																	
Roll Diameter	300 mm																	
Roll Width	6-60 mm																	
Roll core	Not relevant																	
Preset length adjustable	Yes																	
Adhesive tape type	Single & Double sided																	

Fully Automatic Label & Die-cut Dispensers

Article	Product picture	Technical data	Futures																		
161-0622-120 <ul style="list-style-type: none"> ① Fully automatic label and die-cut dispenser ① Photocell for automatic donation-spending ① The speed of the preset length can be adjusted ① Incorporated counter ① Identically constructed dispenser for tapes in: 60mm Width: 161-0622-60 180mm Width: 161-0622-180 		<table border="1"> <tr> <td>Weight</td> <td>2900 g</td> </tr> <tr> <td>Length/Width/Height</td> <td>200/180/210 mm</td> </tr> <tr> <td>Roll Diameter</td> <td>210 mm</td> </tr> <tr> <td>Roll Width</td> <td>20-120 mm</td> </tr> <tr> <td>Roll core</td> <td>Not relevant</td> </tr> <tr> <td>Preset length adjustable</td> <td>Yes</td> </tr> <tr> <td>Adhesive tape type</td> <td>Label & die-cut</td> </tr> </table>	Weight	2900 g	Length/Width/Height	200/180/210 mm	Roll Diameter	210 mm	Roll Width	20-120 mm	Roll core	Not relevant	Preset length adjustable	Yes	Adhesive tape type	Label & die-cut	<table border="1"> <tr> <td style="text-align: center;">  Counter </td> <td style="text-align: center;">  Preset length adjustable </td> </tr> <tr> <td style="text-align: center;">  Electrical </td> <td style="text-align: center;">  Without blade </td> </tr> </table>	 Counter	 Preset length adjustable	 Electrical	 Without blade
Weight	2900 g																				
Length/Width/Height	200/180/210 mm																				
Roll Diameter	210 mm																				
Roll Width	20-120 mm																				
Roll core	Not relevant																				
Preset length adjustable	Yes																				
Adhesive tape type	Label & die-cut																				
 Counter	 Preset length adjustable																				
 Electrical	 Without blade																				

161-0624-120 <ul style="list-style-type: none"> ① Fully automatic label and die-cut dispenser ① Photocell for automatic donation-spending ① The speed of the preset length can be adjusted ① Incorporated counter ① Identically constructed dispenser for tapes in: 60mm Width: 161-0624-60 180mm Width: 161-0624-180 		<table border="1"> <tr> <td>Weight</td> <td>3300 g</td> </tr> <tr> <td>Length/Width/Height</td> <td>231/164/157 mm</td> </tr> <tr> <td>Roll Diameter</td> <td>250 mm</td> </tr> <tr> <td>Roll Width</td> <td>20-120 mm</td> </tr> <tr> <td>Roll core</td> <td>Not relevant</td> </tr> <tr> <td>Preset length adjustable</td> <td>Yes</td> </tr> <tr> <td>Adhesive tape type</td> <td>Label & die-cut</td> </tr> </table>	Weight	3300 g	Length/Width/Height	231/164/157 mm	Roll Diameter	250 mm	Roll Width	20-120 mm	Roll core	Not relevant	Preset length adjustable	Yes	Adhesive tape type	Label & die-cut	<table border="1"> <tr> <td style="text-align: center;">  Counter </td> <td style="text-align: center;">  Preset length adjustable </td> </tr> <tr> <td style="text-align: center;">  Electrical </td> <td style="text-align: center;">  Without blade </td> </tr> </table>	 Counter	 Preset length adjustable	 Electrical	 Without blade
Weight	3300 g																				
Length/Width/Height	231/164/157 mm																				
Roll Diameter	250 mm																				
Roll Width	20-120 mm																				
Roll core	Not relevant																				
Preset length adjustable	Yes																				
Adhesive tape type	Label & die-cut																				
 Counter	 Preset length adjustable																				
 Electrical	 Without blade																				

Product	Type	Weight in gm	Length in mm	Width in mm	Height in mm	Max. Roll Diameter in mm	Max. Roll Width in mm	Roll core in inch ϕ	Preset length adjustable	Adhesive tape type	Page
Hand Dispensers											
 161-21401	Profi	410	205	40	210	170	25	3	No	Single sided	5
 161-21402	Profi	520	220	65	210	170	50	3	No	Single sided	5
 161-21403	Profi	700	215	90	210	170	75	3	No	Single sided	5
 505008	Classic	625	180	70	250	136	50	3	No	Single sided	6
 505009	Classic	785	180	100	250	136	75	3	No	Single sided	6
 161-4200	Classic	500	180	60	230	140	50	3	No	Single sided	6
 6300	Classic	350	150	65	240	120	50	3	No	Single sided	6
 6400	Classic	500	220	60	220	140	50	3	No	Single sided	6
 161-0213	Special	330	150	25	210	150	25	3	No	Double-sided	7
 6032	Special	335	220	45	80	150	25	3	No	Single sided	7
 6076	Special	500	165	60	130	120	50	3	No	Single sided	7
 161-0276-50	Special	480	165	55	125	110	50	3	No	Single sided	7
Bench Dispensers											
 161-0257	Classic	1280	220	79	90	110	25	1 oder 3	No	Single sided	8
 57422	Classic	2000	230	70	130	110	25	3	No	Single sided	8
 6090	Classic	2500	270	70	125	125	2 x 25	3	No	Single sided	8

Product	Type	Weight in gm	Length in mm	Width in mm	Height in mm	Max. Roll Diameter in mm	Max. Roll Width in mm	Roll core in inch ø	Preset length adjustable	Adhesive tape type	Page
Bench Dispensers											
 161-6080	Special	3200	260	320	210	140	1 x 100 2 x 50	3	No	Single sided	8
 6009	Special	340	180	85	230	210	50	3	No	Single sided	9
 6012	Special	610	175	67	130	145	1 x 50 2 x 25	3	No	Single sided	9
 161-6021-N	Special	1400	250	150	130	180	100	Not relevant	No	Label & die-cut	9
Bag Sealing Dispensers											
 6094 L	Classic	1200	210	85	205	170	19	3	No	Single sided	9
 6256 S	Classic	610	185	70	270	130	12	3	No	Single sided	9
Automatic Dispensers											
 161-0237	Semi-automatic	1400	200	105	125	140	25	1 oder 3	Yes	Single sided	10
 6037	Semi-automatic	1400	200	105	125	140	30	3	Yes	Single sided	10
 6038	Semi-automatic	2600	270	120	175	140	30	3	Yes	Single sided	10
 161-0259	Fully automatic	1900	258	126	150	150	3-25	Not relevant	Yes	Single & double-sided	11
 161-0256	Fully automatic	2400	218	137	150	180	7-60	3	Yes	Single & double-sided	11
 161-0269	Fully automatic	1600	213	116	140	300	6-60	Not relevant	Yes	Single & double-sided	11
 161-0269-F	Fully automatic	1830	222	116	148	300	6-60	Not relevant	Yes	Single & double-sided	11
 161-0622-120	Fully automatic	2900	200	190	180	210	20-120	Not relevant	Yes	Label & die-cut	12
 161-0624-120	Fully automatic	3300	231	164	157	250	20-120	Not relevant	Yes	Label & die-cut	12

Accessories

Product picture

Description



Tape Holder

- Allows the tape roll to be secured on the tape holder
- For rolls with a max. 320 mm external diameter
- Suitable for: 161-0256, 161-0269 and 161-0269-F



Dispenser Holder with Tape Holder

- Dispenser holder with adjustable slant
- For rolls with a max. 320 mm external diameter
- Suitable for: 161-0256, 161-0269 and 161-0269-F



Wind Gadget

- The Wind Gadget winds-up the release liner
- Suitable for: 161-0256, 161-0269 and 161-0269-F



Dispenser Holder with Wind Gadget

- Special dispenser holder with adjustable slant
- For max. 150 mm external diameter
- The Wind Gadget winds-up the release liner
- Suitable for: 161-0256, 161-0269 and 161-0269-F


• Further Accessories Upon Request •

For Further Information Please See Our Other Catalogues


Check out our other catalogs: **Adhesive Tapes for Electrical Insulation, Double-Sided Adhesive Tapes, Acrylic Foam Tapes and Adhesive Foam Tapes.** The catalogs provide an in-depth overview about the chosen product group and detailed information regarding construction, applications, product features and more.

Call or see us online to request a catalog today.


Adhesive Tapes for Electrical Insulation



Double-Sided Adhesive Tapes



Acrylic Foam Tapes



Adhesive Foam Tapes

