

# For Single and Double-Sided Tapes, Labels and Die-Cuts





#### VOLZ® TAPES - Your Self-Adhesive Technology Expert

VOLZ<sup>®</sup> TAPES is your specialist in self-adhesive technology. We deliver a large array of technical self-adhesive tapes, die-cut parts, packing-materials and processing devices.

In our state-of-the-art production facility, and in close cooperation with you, we develop custom solutions and products to meet your specific application demands. From your first inquiry, to the delivery of the final product from our facility, we develop adhesive tape solutions of the highest quality.

VOLZ<sup>®</sup> TAPES is not only DIN EN ISO 9001:2015 (Quality Management) and DIN EN ISO 14001:2015 (Environmental Management System) certified, but also a UL certified re-packer, thus fulfilling GS1 standards by participating in the global GS1-System. In our modern equipped laboratory, we conduct all required tests such as: the adhesive peel of 90° & 180°, tensile strength, ultimate elongation, shear strength, rolling ball tack, loop tack and thickness test.

We are an active member of Afera (www.afera.com) and conduct our tests by this norm. Upon request, we also conduct tests using other customer required criteria.

Since 2014 we have been developing and producing double-sided adhesive tapes. Whether you need large or small jumbos, log rolls or other cut rolls, spools, plan rolls in neutral or in your own packaging, VOLZ® TAPES has the right solution to meet your most challenging needs.

Tremendous flexibility. Quick response and production times. VOLZ® TAPES is your versatile self-adhesive solutions expert.

#### **Processing Devices Simplify Your Production Processes**

Processing devices rapidly and accurately handle single and double-sided tapes, labels and die-cuts, saving you time and money during production.

On the following pages, you will find an overview of our processing devices including information regarding our hand, bench, automatic tape, label and die-cut dispensers, as well as other accessories to augment your workflow and increase productivity. Matching spare parts and services are available for each individual product.

If the desired product is not listed or if you have any questions, please do not hesitate to contact us. Our contact information may be found on the reverse side of this catalog.



#### PACK PROFI Manual Tape Dispenser

### **DACK** PROFI 161-21402 Manual Tape Dispenser



#### The well tested 161-21402 simply outperforms other professional manual tape dispensers.

#### Are we proud? Definitely, and for good reasons:

- Ergonomic and easy to handle.
- Roller brake offers easy and fast tape dispensing.
- Double pressure rolls for simple, smooth tape application.
- Strong metal parts, yet still lighter than other top professional manual dispensers.
- Easy trigger release, therefore comfortable for continual, all-day use.
- High-quality, sharp blade with finger protection minimizes stress on device joints and protects the user while providing a clean, straight cut.
- Optimally mounted tension springs minimize the stress on the tape, maintaining tension without overstretching.
- Neutral packaging permits marketing by multiple dealers.

For more information visit our website at www.tapedispenser.de or email us at info@tapedispenser.de





#### **PACK PROFI Manual Tape Dispensers**

Product picture	Technica	l data	Featu	ures
	Weight	410 g		2
	Roll Width		Roller braker	Double pressure rolls
	Roll Core	3 inch = 76 mm	1	
	Pre-set Length	No		-1
		Single-Sided		
	Autesive tape type	Single-Sided		
			Blade protection	Smart Cut off
	Weight	520 g		
	Length/Width/Height	220/65/210 mm		
	Roll Diameter	170 mm	Roller	Double
	Roll Width	50 mm	braker	pressure rolls
D	Roll Core	3 inch = 76 mm	1	
	Pre-set Length	No		-1
	·	Single-Sided		
	functive tape type	Single Sided		for the second second
			protection	Smart Cut off
	Woight	700 g		-
		215/90/210 mm		
	Length/Width/Height			
	Roll Diameter	170 mm	Roller braker	Double pressure rolls
	Roll Diameter Roll Width	170 mm 75 mm	THE R. P. LEWIS CO., NAMES AND ADDRESS OF	100 million (100 m
	Roll Diameter	170 mm 75 mm 3 inch = 76 mm	THE R. P. LEWIS CO., NAMES AND ADDRESS OF	
	Roll Diameter Roll Width Roll Core Pre-set Length Adjustable	170 mm 75 mm	braker	
	Roll Diameter Roll Width Roll Core Pre-set Length	170 mm 75 mm 3 inch = 76 mm	braker	
		Weight         Length/Width/Height         Roll Diameter         Roll Width         Roll Core         Pre-set Length         Adjustable         Adhesive tape type         Weight         Length/Width/Height         Roll Core         Roll Diameter         Roll Width         Roll Core	Weight       410 g         Length/Width/Height       205/40/210 mm         Roll Diameter       170 mm         Roll Ore       3 inch = 76 mm         Pre-set Length       No         Adhesive tape type       Single-Sided         Veight       520 g         Length/Width/Height       220/65/210 mm         Roll Diameter       170 mm         Roll Ore       3 inch = 76 mm         Pre-set Length       No         Adhesive tape type       Single-Sided         Veight       520 g         Length/Width/Height       220/65/210 mm         Roll Ore       3 inch = 76 mm         Pre-set Length       No         Roll Ore       3 inch = 76 mm         Pre-set Length       No         Adhesive tape type       Single-Sided	$\frac{Weight 410 g}{Length/Width/Height 205/40/210 mm}}{Roll Diameter 170 mm}}$ $\frac{Weight 25 mm}{Roll Vidth} 25 mm}{Roll Vidth 25 mm}}{Roll Core 3 inch = 76 mm}$ $\frac{Pre-set Length Adjustable}{Adhesive tape type} Single-Sided$ $\frac{Weight 520 g}{Length/Width/Height 220/55/210 mm}}{Roll Diameter 170 mm}}$ $\frac{Weight 520 g}{Roll Core 3 inch = 76 mm}}{Roll Diameter 170 mm}}$ $\frac{Weight 50 mm}{Roll Diameter 170 mm}}{Roll Diameter 170 mm}}$ $\frac{Weight 50 mm}{Roll Diameter 170 mm}}{Roll Diameter 170 mm}}$ $\frac{Weight 920 g}{Roll Core 3 inch = 76 mm}}{Roll Vidth 10 mm}}$ $\frac{Weight 920 g}{Roll Core 3 inch = 76 mm}}{Roll Diameter 170 mm}}$ $\frac{Weight 920 g}{Roll Core 3 inch = 76 mm}}{Roll Vidth 10 mm}}$ $\frac{Weight 920 g}{Roll Core 3 inch = 76 mm}}{Roll Diameter 170 mm}}$ $\frac{Weight 920 g}{Roll Core 3 inch = 76 mm}}{Roll Core 3 inch = 76 mm}}$ $\frac{Weight 920 g}{Roll Core 3 inch = 76 mm}}{Roll Core 3 inch = 76 mm}}$ $\frac{Weight 920 g}{Roll Core 3 inch = 76 mm}}{Roll Core 3 inch = 76 mm}}$ $\frac{Weight 920 g}{Roll Core 3 inch = 76 mm}}{Roll Core 3 inch = 76 mm}}$ $\frac{Weight 920 g}{Roll Core 3 inch = 76 mm}}{Roll Core 3 inch = 76 mm}}$ $\frac{Weight 920 g}{Roll Core 3 inch = 76 mm}}{Roll Core 3 inch = 76 mm}}$ $\frac{Weight 920 g}{Roll Core 3 inch = 76 mm}}{Roll Core 3 inch = 76 mm}}$




		ssic Hand Dispense		
Article	Product picture	Technica	l data	Features
505008		Weight	625 g	
Itand dispenser for		Length/Width/Height	180/70/250 mm	
packaging tapes		Roll Diameter	136 mm	
Tension control adjustable		Roll Width	50 mm	
by hand	1.2	Roll Core	3 inch = 76 mm	
	0.00	Pre-set Length Adjustable	No	Roller braker
		Adhesive tape type	Single-Sided	
505009		Weight	785 g	
🙆 Lland diananaan fan	1	Length/Width/Height	180/100/250 mm	
Hand dispenser for packaging tapes		Roll Diameter	136 mm	
Tension control adjustable		Roll Width	75 mm	
by hand		Roll Core	3 inch = 76 mm	
	C. C.	Pre-set Length Adjustable	No	Roller braker
		Adhesive tape type	Single-Sided	
<ul> <li>packaging tapes</li> <li>Tension control adjustable by hand</li> <li>Hidden blade (blade protection)</li> <li>Soft gummed handle for a comfortable, secure grip</li> </ul>		Weight Length/Width/Height Roll Diameter Roll Width Roll Core Pre-set Length Adjustable Adhesive tape type	500 g 180/60/230 mm 140 mm 50 mm 3 inch = 76 mm No Single-Sided	Roller braker Blade protection Comfortable grip
esa <sup>°</sup> 6300		Weight	350 g	
tesa <sup>®</sup> hand dispenser for		Length/Width/Height	150/65/240 mm	
packaging tapes		Roll Diameter	120 mm	
Tension control adjustable		Roll Width	50 mm	
by hand Covered blade		Roll Core	3 inch = 76 mm	
		Pre-set Length Adjustable	No	Roller Covored braker blade
		Adhesive tape type	Single-Sided	
tesa <sup>®</sup> 6400				T T
Professional tesa <sup>®</sup> hand		Weight	500 g	
dispenser for packaging tapes	test .	Length/Width/Height	220/60/220 mm	
Tension control adjustable by hand		Roll Diameter	140 mm	
Dy nand Hidden blade		Roll Width	50 mm	Roller Blade braker protection
(injury protection)		Roll Core	3 inch = 76 mm	
Soft gummed handle for a				

Soft gummed handle for a comfortable, secure grip



weight	500 g
Length/Width/Height	220/60/220 mm
Roll Diameter	140 mm
Roll Width	50 mm
Roll Core	3 inch = 76 mm
Pre-set Length Adjustable	No
Adhesive tape type	Single-Sided



Comfortable grip



	Spe	cial Hand Dispense	rs		
Article	Product picture	Technica	l data	Fea	tures
161-0213		Weight	330 g		
Hand dispenser for		Length/Width/Height	150/25/210 mm		
Double-sided tapes	60 000	Roll Diameter	150 mm		
Release paper rewind		Roll Width	25 mm		
Adjustable brake, stop trigger cuts the tape		Roll Core	3 inch = 76 mm		
		Pre-set Length Adjustable	No	Roller braker	Without blade
		Adhesive tape type	Double-Sided		
esa <sup>°</sup> 6032		Weight	335 g		
Opecial hand dispenser for		Length/Width/Height	220/45/80 mm		
filament and strapping tapes		Roll Diameter	150 mm		***
Special blade to cut filament	- Cordi	Roll Width	25 mm		
reinforced packaging tapes		Roll Core	3 inch = 76 mm		
		Pre-set Length Adjustable	No		nooth lade
		Adhesive tape type	Single-Sided		
tesa <sup>°</sup> 6076		Weight	500 g		
Special hand dispenser with		Length/Width/Height	165/60/130 mm		
robust metal housing for	1100	Roll Diameter	120 mm		
packaging tapes		Roll Width	50 mm		
		Roll Core	3 inch = 76 mm		
	J. Tasad and	Pre-set Length	No		nooth lade
		Adjustable Adhesive tape type	Single-Sided		
161-0270-50			1		
		Weight	480 g		
Special hand dispenser with reduct metal bousing for		Length/Width/Height	165/55/125 mm		
robust metal housing for packaging tapes	STA	Roll Diameter	110 mm		~
Identically constructed		Roll Width	50 mm		
dispenser for tapes in:		Roll Core	3 inch = 76 mm		
19mm Width: 161-0270-19 25mm Width: 161-0270-25		Pre-set Length Adjustable	No		nooth Iade
30mm Width: 161-0270-30 38mm Width: 161-0270-38		Adhesive tape type	Single-Sided		

#### V 1.20 – 30.07.2020 Page 6



#### **Classic Bench Dispensers**

	Clas	sic Bench Dispense		
Article	Product picture	Technica	al data	Features
161-0257		Weight	1280 g	
Bench dispenser for		Length/Width/Height	220/79/90 mm	
processing tapes		Roll Diameter	110 mm	****
For 1"-core or also 3"-core	A CONTRACT	Roll Width	25 mm	
0 Non-slip		Roll Core	1 or 3 inch	
		Pre-set Length Adjustable	No	Smooth blade
		Adhesive tape type	Single-Sided	
tesa <sup>®</sup> 57422		Weight	2000 g	
Bench dispenser for		Length/Width/Height	230/70/130 mm	
processing tapes		Roll Diameter	110 mm	
Non-slip base, sturdy case		Roll Width	25 mm	
Serrated blade for a clean, convenient cut		Roll Core	3 inch = 76 mm	
		Pre-set Length Adjustable	No	Smooth blade
		Adhesive tape type	Single-Sided	
tesa <sup>°</sup> 6090		Weight	2500 g	
Pobuct bonch disponsor with		Length/Width/Height	270/70/125 mm	
Robust bench dispenser with steel case for strapping and		Roll Diameter	125 mm	
packaging tapes		Roll Width	2 x 25 mm	
<ul> <li>For up to two rolls</li> <li>Separate blade for each roll</li> </ul>		Roll Core	3 inch = 76 mm	
		Pre-set Length Adjustable	No	Smooth Clean blade cut
		Adhesive tape type	Single-Sided	
		cial Bench Dispense OFI – Manual Bene		
Article	Product picture	Technica	al data	Features
161-6080				
<ul> <li>Manual bench dispenser for diverse adhesive tapes</li> <li>Brackets allow for secure</li> </ul>		Weight	3200 g	
bench or wall mounting Solid steel construction		Length/Width/Height	260/320/210 mm	
<ul> <li>Solid Steel construction</li> <li>Simple but effective</li> </ul>	2 / 00	Roll Diameter	140 mm	


- Simple but effective operation
- Holds up to two tape rolls of different widths
- Rounded blades for finger protection
- Optional weight plate available\*

\*sold separately



	Weight	3200 g	
	Length/Width/Height	260/320/210 mm	
	Roll Diameter	140 mm	
	Roll Width	1 roll: 100 mm 2 rolls: 2 x 50 mm	
	Roll Core	3 inch = 76 mm	
	Pre-set Length Adjustable	No	

Adhesive tape type Single-Sided



Clean cut



#### **Special Bench Dispensers**

Article	Product picture	Technica	al data	Feat	ures
		Technica		1 Cat	
tesa <sup>®</sup> 6009		Weight	340 g		
Special purpose bench		Length/Width/Height	180/85/230 mm		
dispenser for packaging and masking tapes		Roll Diameter	210 mm		4444
Screw clamp allows flexible	(G)	Roll Width	50 mm		
fastening of the dispenser	01	Roll Core	3 inch = 76 mm		
on table edge or other surfaces		Pre-set Length Adjustable	No	Mountable	Smooth blade
		Adhesive tape type	Single-Sided		
tesa <sup>°</sup> 6012					
Special bench dispenser		Weight	610 g		
for packaging tapes Can be filled with either		Length/Width/Height	175/67/130 mm		
one wide roll or two		Roll Diameter	145 mm		Smooth
narrow rolls of tape O Can be fastened securely		Roll Width	1 x 50 mm 2x 25 mm	Mountable	blade
with the supplied clamp		Roll Core	3 inch = 76 mm	T.	
or with screws on the packing table		Pre-set Length Adjustable	No	000000000	
		Adhesive tape type	Single-Sided	Ŧ	
				Screwable	
161 6021 N					

#### 161-6021-N

- Robust bench label and die-cut dispenser
- Can be filled with either one wide roll or two narrow rolls of tape



Weight	1400 g
Length/Width/Height	250/150/130 mm
Roll Diameter	Max. 180 mm
Roll Width	Max. 100 mm
Roll Core	Not relevant
Pre-set Length Adjustable	No
Adhesive tape type	Labels & Die-cuts



#### tesa<sup>°</sup>6094 L

- Bag sealer for medium and large sized bags up to 5 kg and 11 mm diameter
- 🔍 Hidden blade (blade protection)

#### tesa<sup>°</sup>6256 S

- Like tesa<sup>®</sup>6094 L, yet for a diameter of 6 mm and up to 3 kg
- 0 Hidden blade (blade protection)






**Bag Sealing Dispensers** 

**Roll Core** 3 inch = 76 mm Pre-set Length No Adjustable Adhesive tape type Single-Sided



Screwable protection



Blade



#### Semi-automatic Dispensers

Article	Product picture	Technica	l data	Feat	tures
161-0237		Weight	1400 g		
Semi-automatic dispenser for		Length/Width/Height	200/105/125 mm		<b>†</b>
packaging and other tapes	J	Roll Diameter	140 mm		
Tape is dispensed by pressing the handle		Roll Width	25 mm		
Adjustable pre-set tape		Roll Core	1 or 3 inch		
length up to 100 mm Hidden blade	2	Pre-set Length Adjustable	Yes	Preset length adjustable	Blade protection
(blade protection)		Adhesive tape type	Single-Sided		
tesa <sup>°</sup> 6037		Maicht	1400 a		
1 Cami automatic dispansar for		Weight	1400 g		
Semi-automatic dispenser for packaging and other tapes		Length/Width/Height	200/105/125 mm		I
Tape is dispensed by		Roll Diameter	140 mm		
pressing the handle		Roll Width	30 mm		
Adjustable pre-set tape		Roll Core	3 inch = 76 mm		
length up to 100 mm Iidden blade		Pre-set Length Adjustable	Yes	Preset length adjustable	Blade protection
		Adhesive tape type	Single-Sided		

#### tesa<sup>°</sup>6038

- Semi-automatic dispenser with robust metal case for packaging and other tapes
- Tape is dispensed by pressing the handle
- Adjustable pre-set tape length up to 100 mm, adjustable by scale
- Non-adhesive finger lift
- Hidden blade (blade protection)




	Weight	2600 g
	Length/Width/Height	270/120/175 mm
	Roll Diameter	140 mm
	Roll Width	30 mm
	Roll Core	3 inch = 76 mm
	Pre-set Length Adjustable	Yes

Adhesive tape type Single-Sided

Preset length adjustable



#### **Fully Automatic Dispensers**




- Digital Display
   Memory function stores up to
- 6 different pre-set lengths
  Pre-set tape length from 5-999 mm
- Photocell for automatic dispensing
- No core holder permits usage of varying core diameters
- Automatically stops if tape feed is impaired
- Custom coated main roller available for special applications

Weight
Length/V
Roll Dia
Roll Wig
Roll Cor
Pre-set
Adjusta
 Adhasiu

	Length/Width/Height	213/116/140 mm
	Roll Diameter	300 mm
	Roll Width	6-60 mm
	Roll Core	Not relevant
_	Pre-set Length Adjustable	Yes
_	Adhesive tape type	Single & Double- Sided

1600 g







dispenser for tapes in:

60 mm Width: 161-0624-60 180 mm Width: 161-0624-180

### **Processing Devices**

	Full	y Automatic Dispo	ensers			
Article	Product picture	Technic	al data	Futures		
l61-0269-F						
Equivalent to 161-0269		Weight	1830 g	195		
Non-adhesive finger lift		Length/Width/Height	222/116/148	I D		
		Roll Diameter				
		Roll Width	6-60 mm	Counter	Preset length adjustable	
		Roll Core	Not relevant		1	
		Pre-set Length	Yes	1-		
		Adjustable Adhesive tape type	Single & Double-			
		Autosive tape type	Sided	Electrical	Blade	
					protection	
	Fully Autom	atic Label & Die-C	ut Dispensers			
Article	Product picture	Technic	al data	Futures		
161-0622-120						
<ul> <li>die-cut dispenser</li> <li>Photocell for automatic dispensing</li> <li>The speed of the Pre-set length can be adjusted</li> <li>Incorporated counter</li> <li>Release paper rewind</li> <li>Identically constructed dispenser for tapes in: 70 mm Width: 161-0622-70 160 mm Width: 161-0622-160 200 mm Width: 161-0622-200</li> </ul>		Weight Length/Width/Height Roll Diameter Roll Width Roll Core Pre-set Length Adjustable Adhesive tape type	2900 g 200/180/210 mm 210 mm 20-120 mm Not relevant Yes Label & Die-cut	195 Counter Electrical	Preset length adjustable	
161-0624-120 9 Fully automatic label and						
die-cut dispenser		Weight	3300 g	195		
Adjustable photocell for automatic dispensing		Length/Width/Height	231/164/157 mm			
Distance and speed of		Roll Diameter Roll Width	250 mm 20-120 mm	Counter	Preset length adjustable	
label advancement is		Roll Core	Not relevant	**************	adjustable	
adjustable Incorporated counter	LHO DO DO	Pre-set Length	Yes	1000		
Release paper rewind		Adjustable Adhesive tape				
Identically constructed dispenser for tapes in:		type	Labels & Die-cuts	× 7		

Without blade

Electrical



# <sup>®</sup> Processing Devices

	<b>T/</b>	<b>APES</b>									
Product	Type	Weight in g	Length in mm	Width in mm	Height in mm	Max. Roll Diameter in mm	Max. Roll Width in mm	Roll Core in inch ø	Pre-set Length Adjustable	Adhesive Tape Type	Page
					Hand Di	spensers					
161- 21401	Profi	410	205	40	210	170	25	3	No	Single- Sided	4
161- 21402	Profi	520	220	65	210	170	50	3	No	Single- Sided	4
161- 21403	Profi	700	215	90	210	170	75	3	No	Single- Sided	4
<b>505008</b>	Classic	625	180	70	250	136	50	3	No	Single- Sided	5
<b>505009</b>	Classic	785	180	100	250	136	75	3	No	Single- Sided	5
161- 4200	Classic	500	180	60	230	140	50	3	No	Single- Sided	5
tesa≠ 6300	Classic	350	150	65	240	120	50	3	No	Single- Sided	5
tesa 🖊 6400	Classic	500	220	60	220	140	50	3	No	Single- Sided	5
VOLZ 161- 0213	Special	330	150	25	210	150	25	3	No	Double- Sided	6
<i>tesa</i> / 6032	Special	335	220	45	80	150	25	3	No	Single- Sided	6
<i>tesa</i> 6076	Special	500	165	60	130	120	50	3	No	Single- Sided	6
161- 0276-50	Special	480	165	55	125	110	50	3	No	Single- Sided	6
Bench Dispensers											
161- 0257	Classic	1280	220	79	90	110	25	1 or 3	No	Single- Sided	7
tesa / 57422	Classic	2000	230	70	130	110	25	3	No	Single- Sided	7
<i>tesa∕</i> 6090	Classic	2500	270	70	125	125	2 x 25	3	No	Single- Sided	7



Product	Type	Weight in g	Length in mm	Width in mm	Height in mm	Max. Roll Diameter in mm	Max. Roll Width in mm	Roll Core in inch ø	Pre-set Length Adjustable	Adhesive Tape Type	Page
Bench Dispensers											
161- 6080	Profi	3200	260	320	210	140	1 x 100 2 x 50	3	No	Single- Sided	7
tesa/ 6009	Special	340	180	85	230	210	50	3	No	Single- Sided	8
tesa/ 6012	Special	610	175	67	130	145	1 x 50 2 x 25	3	No	Single- Sided	8
161- 6021-N	Special	1400	250	150	130	180	100	Not relevant	No	Labels & Die-cuts	8
Bag Sealing Dispensers											
tesa∕ 6094 L	Classic	1350	210	85	205	170	19	3	No	Single- Sided	8
tesa 6256 S	Classic	610	185	70	270	130	12	3	No	Single- Sided	8
Automatic Dispensers											
161- 0237	Semi- automatic	1400	200	105	125	140	25	1 oder 3	Yes	Single- Sided	9
tesa / 6037	Semi- automatic	1400	200	105	125	140	30	3	Yes	Single- Sided	9
tesa/ 6038	Semi- automatic	2600	270	120	175	140	30	3	Yes	Single- Sided	9
161- 0259	Fully automatic	1900	258	126	150	150	3-25	Not relevant	Yes	Single & Double- Sided	10
161- 0256	Fully automatic	2400	218	137	150	180	7-50	3	Yes	Single & Double- Sided	10
161- 0269	Fully automatic	1600	213	116	140	300	6-60	Not relevant	Yes	Single & Double- Sided	10
161- 0269-F	Fully automatic	1830	222	116	148	300	6-60	Not relevant	Yes	Single & Double- Sided	10
161- 0622-120	Fully automatic	2900	200	190	180	210	20-120	Not relevant	Yes	Labels & Die-cuts	11
161- 0624-120	Fully automatic	3300	231	164	157	250	20-120	Not relevant	Yes	Label & Die-cuts	11





Further Accessories Upon Request



#### For Further Information Please See Our Other Catalogs

Check out our other catalogs: Adhesive Tapes for Electrical Insulation, Double-Sided Adhesive Tapes, Acrylic Foam Tapes and Adhesive Foam Tapes (volzMoll). These catalogs provide an in-depth overview about the chosen product group and detailed information regarding applications, product features and more.

Call or see us online to request a catalog today.





V1.20 – 30.07.2020 Page 15

Volz Selbstklebetechnik GmbH Fischerinsel 3 Phone DE - 79227 Schallstadt Fax:

Phone: +49 (0)7664 50500 - 0 info@volztapes.com Fax: +49 (0)7664 50500 - 50 www.volztapes.com







Notes



Volz SelbstklebetechnikGmbHFischerinsel 3PhoneDE - 79227SchallstadtFax:

Phone: +49 (0)7664 50500 - 0 info@volztapes.com Fax: +49 (0)7664 50500 - 50 www.volztapes.com



/1.20 – 30.07.2020 Page

