



For Single and Double-Sided Tapes, Labels and Die-Cuts











VOLZ® TAPES - Your Self-Adhesive Technology Expert

VOLZ® TAPES is your specialist in self-adhesive technology. We deliver a large array of technical **self-adhesive tapes**, **die-cut parts**, **packing-materials** and **processing devices**.

In our state-of-the-art production facility, and in close cooperation with you, we develop custom solutions and products to meet your specific application demands. From your first inquiry, to the delivery of the final product from our facility, we develop adhesive tape solutions of the highest quality.

VOLZ® TAPES is not only DIN EN ISO 9001:2015 (Quality Management) and DIN EN ISO 14001:2015 (Environmental Management System) certified, but also a UL certified re-packer, thus fulfilling GS1 standards by participating in the global GS1-System. In our modern equipped laboratory, we conduct all required tests such as: the adhesive peel of 90° & 180°, tensile strength, ultimate elongation, shear strength, rolling ball tack, loop tack and thickness test.

We are an active member of Afera (www.afera.com) and conduct our tests by this norm. Upon request, we also conduct tests using other customer required criteria.

Since 2014 we have been developing and producing double-sided adhesive tapes. Whether you need large or small jumbos, log rolls or other cut rolls, spools, plan rolls in neutral or in your own packaging, VOLZ® TAPES has the right solution to meet your most challenging needs.

Tremendous flexibility. Quick response and production times. VOLZ® TAPES is your versatile self-adhesive solutions expert.

Processing Devices Simplify Your Production Processes

Processing devices rapidly and accurately handle single and double-sided tapes, labels and die-cuts, saving you time and money during production.

On the following pages, you will find an overview of our processing devices including information regarding our hand, bench, automatic tape, label and die-cut dispensers, as well as other accessories to augment your workflow and increase productivity. Matching spare parts and services are available for each individual product.

If the desired product is not listed or if you have any questions, please do not hesitate to contact us. Our contact information may be found on the reverse side of this catalog.



PACK PROFI Manual Tape Dispenser





The well tested 161-21402 simply outperforms other professional manual tape dispensers.

Are we proud? Definitely, and for good reasons:

- Ergonomic and easy to handle.
- Roller brake offers easy and fast tape dispensing.
- Double pressure rolls for simple, smooth tape application.
- Strong metal parts, yet still lighter than other top professional manual dispensers.
- Easy trigger release, therefore comfortable for continual, all-day use.
- High-quality, sharp blade with finger protection minimizes stress on device joints and protects the user while providing a clean, straight cut.
- Optimally mounted tension springs minimize the stress on the tape, maintaining tension without overstretching.
- Neutral packaging permits marketing by multiple dealers.

For more information visit our website at www.tapedispenser.de or email us at info@tapedispenser.de





PACK PROFI Manual Tape Dispensers


Article Product picture Technical data Features


161-21401

- Professional manual tape dispenser for packaging tapes
- Tension control adjustable by hand
- Two contact pressure rollers allow an especially simple and smooth tape application
- Hidden blade (blade protection)
- The tape cut-off is implemented by activating the release inside the handle



Weight	410 g
Length/Width/Height	205/40/210 mm
Roll Diameter	170 mm
Roll Width	25 mm
Roll Core	3 inch = 76 mm
Pre-set Length Adjustable	No
Adhesive tape type	Single-Sided







161-21402

- Professional manual tape dispenser for packaging tapes
- Tension control adjustable by hand
- Two contact pressure rollers allow an especially simple and smooth tape application
- Hidden blade (blade protection)
- The tape cut-off is implemented by activating the release inside the handle



Weight	520 g
Length/Width/Height	220/65/210 mm
Roll Diameter	170 mm
Roll Width	50 mm
Roll Core	3 inch = 76 mm
Pre-set Length Adjustable	No
Adhesive tape type	Single-Sided







161-21403

- Professional manual tape dispenser for packaging tapes
- Tension control adjustable by hand
- Two contact pressure rollers allow an especially simple and smooth tape application
- Hidden blade (blade protection)
- The tape cut-off is implemented by activating the release inside the handle



Weight	700 g
Length/Width/Height	215/90/210 mm
Roll Diameter	170 mm
Roll Width	75 mm
Roll Core	3 inch = 76 mm
Pre-set Length Adjustable	No
Adhesive tape type	Single-Sided







Classic Hand Dispensers

Article Product picture Technical data Features 505008 Weight 625 g Length/Width/Height 180/70/250 mm Hand dispenser for **Roll Diameter** 136 mm packaging tapes Tension control adjustable **Roll Width** 50 mm by hand **Roll Core** 3 inch = 76 mm Pre-set Length Roller No Adjustable Adhesive tape type Single-Sided 505009 Weight 785 g Length/Width/Height 180/100/250 mm Hand dispenser for **Roll Diameter** 136 mm packaging tapes Tension control adjustable 75 mm **Roll Width** by hand **Roll Core** 3 inch = 76 mm Roller Pre-set Length No Adjustable

Adhesive tape type

161-4200

- Hand dispenser for packaging tapes
- Tension control adjustable by hand
- Hidden blade (blade protection)
- Soft gummed handle for a comfortable, secure grip



Weight	500 g
Length/Width/Height	180/60/230 mm
Roll Diameter	140 mm
Roll Width	50 mm
Roll Core	3 inch = 76 mm
Pre-set Length Adjustable	No
Adhesive tape type	Single-Sided

Single-Sided







Comfortable

tesa°6300


- tesa® hand dispenser for packaging tapes
- Tension control adjustable by hand
- Covered blade



Weight	350 g
Length/Width/Height	150/65/240 mm
Roll Diameter	120 mm
Roll Width	50 mm
Roll Core	3 inch = 76 mm
Pre-set Length Adjustable	No
Adhesive tape type	Single-Sided



Roller braker



protection

tesa°6400

- Professional tesa® hand dispenser for packaging tapes
- Tension control adjustable by hand
- Hidden blade (injury protection)
- Soft gummed handle for a comfortable, secure grip




Weight	500 g
Length/Width/Height	220/60/220 mm
Roll Diameter	140 mm
Roll Width	50 mm
Roll Core	3 inch = 76 mm
Pre-set Length Adjustable	No
Adhesive tape type	Single-Sided



Roller braker



Comfortable






Special Hand Dispensers

Article	Product picture	Technica	l data	Features
	r roduct picture		<u> </u>	reatures
161-0213		Weight	330 g	
Hand dispenser for		Length/Width/Height	150/25/210 mm	
Double-sided tapes		Roll Diameter	150 mm	
Release paper rewind		Roll Width	25 mm	
Adjustable brake, stop trigger cuts the tape	2	Roll Core	3 inch = 76 mm	
trigger cuts the tape		Pre-set Length Adjustable	No	Roller Without braker blade
		Adhesive tape type	Double-Sided	
tesa°6032		Weight	335 g	
Special hand dispenser for		Length/Width/Height	220/45/80 mm	
filament and strapping tapes		Roll Diameter	150 mm	****
Special blade to cut filament	The state of the s	Roll Width	25 mm	
reinforced packaging tapes		Roll Core	3 inch = 76 mm	
		Pre-set Length Adjustable	No	Smooth blade
		Adhesive tape type	Single-Sided	
tesa [®] 6076		Weight	500 g	
Special hand dispenser with		Length/Width/Height	165/60/130 mm	
robust metal housing for packaging tapes		Roll Diameter	120 mm	****
		Roll Width	50 mm	
		Roll Core	3 inch = 76 mm	_
	II. DESCRIPTION	Pre-set Length Adjustable	No	Smooth blade
		Adhesive tape type	Single-Sided	
161-0270-50				
6 -		Weight	480 g	
Special hand dispenser with robust motal housing for		Length/Width/Height	165/55/125 mm	

- Special hand dispenser with robust metal housing for packaging tapes
- Identically constructed dispenser for tapes in:
 19mm Width: 161-0270-19
 25mm Width: 161-0270-25
 30mm Width: 161-0270-30
 38mm Width: 161-0270-38



Weight	480 g
Length/Width/Height	165/55/125 mm
Roll Diameter	110 mm
Roll Width	50 mm
Roll Core	3 inch = 76 mm
Pre-set Length Adjustable	No
Adhesive tape type	Single-Sided





Classic Bench Dispensers

Article	Product picture	Technica	l data	Features
161-0257		Weight	1280 g	
Bench dispenser for		Length/Width/Height	220/79/90 mm	
processing tapes		Roll Diameter	110 mm	^
For 1"-core or also 3"-core		Roll Width	25 mm	
Non-slip		Roll Core	1 or 3 inch	
		Pre-set Length Adjustable	No	Smooth blade
		Adhesive tape type	Single-Sided	
tesa [®] 57422		Weight	2000 g	
Bench dispenser for		Length/Width/Height	230/70/130 mm	
processing tapes		Roll Diameter	110 mm	****
Non-slip base, sturdy case		Roll Width	25 mm	
 Serrated blade for a clean, convenient cut 		Roll Core	3 inch = 76 mm	
convenient cut		Pre-set Length Adjustable	No	Smooth blade
		Adhesive tape type	Single-Sided	
tesa [®] 6090		Weight	2500 g	
Robust bench dispenser with		Length/Width/Height	270/70/125 mm	
steel case for strapping and		Roll Diameter	125 mm	****
packaging tapes	100	Roll Width	2 x 25 mm	
For up to two rollsSeparate blade for each roll		Roll Core	3 inch = 76 mm	
Scharate plane for each foll		Pre-set Length	No	Smooth Clean

Special Bench Dispensers

Adhesive tape type

Adjustable

INDUSTRIE PROFI – Manual Bench Dispenser

Article	Product picture	Technical data	Features
---------	-----------------	----------------	----------

161-6080


- Manual bench dispenser for diverse adhesive tapes
- Brackets allow for secure bench or wall mounting
- Solid steel construction
- Simple but effective operation
- Holds up to two tape rolls of different widths
- Rounded blades for finger protection
- Optional weight plate available*




Weight	3200 g
Length/Width/Height	260/320/210 mm
Roll Diameter	140 mm
Roll Width	1 roll: 100 mm 2 rolls: 2 x 50 mm
Roll Core	3 inch = 76 mm
Pre-set Length Adjustable	No
Adhesive tape type	Single-Sided

No

Single-Sided





^{*}sold separately



Special Bench Dispensers

Article Product picture Technical data Features


tesa°6009

- Special purpose bench dispenser for packaging and masking tapes
- Screw clamp allows flexible fastening of the dispenser on table edge or other surfaces



Weight	340 g
Length/Width/Height	180/85/230 mm
Roll Diameter	210 mm
Roll Width	50 mm
Roll Core	3 inch = 76 mm
Pre-set Length Adjustable	No
Adhesive tape type	Single-Sided






tesa°6012

- Special bench dispenser for packaging tapes
- Can be filled with either one wide roll or two narrow rolls of tape
- Can be fastened securely with the supplied clamp or with screws on the packing table



	Weight	610 g
	Length/Width/Height	175/67/130 mm
	Roll Diameter	145 mm
-	Roll Width	1 x 50 mm 2x 25 mm
	Roll Core	3 inch = 76 mm
	Pre-set Length Adjustable	No
	Adhesive tape type	Single-Sided





161-6021-N

- Robust bench label and die-cut dispenser
- Can be filled with either one wide roll or two narrow rolls of tape



Weight	1400 g
Length/Width/Height	250/150/130 mm
Roll Diameter	Max. 180 mm
Roll Width	Max. 100 mm
Roll Core	Not relevant
Pre-set Length Adjustable	No
Adhesive tape type	Labels & Die-cuts



Bag Sealing Dispensers


tesa°6094 L

- Bag sealer for medium and large sized bags up to 5 kg and 11 mm diameter
- Hidden blade (blade protection)



	Weight	1350 g
	Length/Width/Height	210/85/205 mm
	Roll Diameter	170 mm
	Roll Width	19 mm
	Roll Core	3 inch = 76 mm
	Pre-set Length Adjustable	No
	Adhesive tape type	Single-Sided
	·	1






tesa[®]6256 S

- Like tesa[®]6094 L, yet for a diameter of 6 mm and up to 3 kg
- Hidden blade (blade protection)



Pre-set Length Adjustable	No
Adhesive tape type	Single-Sided
Weight	610 g
Length/Width/Height	185/70/270 mm
Roll Diameter	130 mm
Roll Width	12 mm
Roll Core	3 inch = 76 mm
Pre-set Length Adjustable	No
Adhesive tape type	Single-Sided







Semi-automatic Dispensers


Article Product picture Technical data Features


161-0237

- Semi-automatic dispenser for packaging and other tapes
- Tape is dispensed by pressing the handle
- Adjustable pre-set tape length up to 100 mm
- Hidden blade (blade protection)



Weight	1400 g
Length/Width/Height	200/105/125 mm
Roll Diameter	140 mm
Roll Width	25 mm
Roll Core	1 or 3 inch
Pre-set Length Adjustable	Yes
Adhesive tape type	Single-Sided







tesa[®]6037

- Semi-automatic dispenser for packaging and other tapes
- Tape is dispensed by pressing the handle
- Adjustable pre-set tape length up to 100 mm
- Hidden blade (blade protection)



Weight	1400 g
Length/Width/Height	200/105/125 mm
Roll Diameter	140 mm
Roll Width	30 mm
Roll Core	3 inch = 76 mm
Pre-set Length Adjustable	Yes
Adhesive tape type	Single-Sided







tesa°6038

- Semi-automatic dispenser with robust metal case for packaging and other tapes
- Tape is dispensed by pressing the handle
- Adjustable pre-set tape length up to 100 mm, adjustable by scale
- Non-adhesive finger lift
- Hidden blade (blade protection)



Weight	2600 g
Length/Width/Height	270/120/175 mm
Roll Diameter	140 mm
Roll Width	30 mm
Roll Core	3 inch = 76 mm
Pre-set Length Adjustable	Yes
Adhesive tape type	Single-Sided







Fully Automatic Dispensers


Article Product picture Technical data Futures

161-0259

- Fully automatic tape dispenser, especially for Polyimid tapes
- Pre-set tape length from 15-70 mm
- Adjustable photocell for automatic dispensing



Weight	1900 g
Length/Width/Height	258/126/150 mm
Roll Diameter	150 mm
Roll Width	3-25 mm
Roll Core	Not relevant
Pre-set Length Adjustable	Yes
Adhesive tape type	Single-Sided





Blade protection

161-0256


- Fully automatic tape dispenser
- Digital Display of the Pre-set length
- Pre-set tape length from 20-998 mm
- Photocell for automatic dispensing
- Integrated safety guard mechanism



	Weight	2400 g
	Length/Width/Height	218/137/150 mm
	Roll Diameter	180 mm
	Roll Width	7-50 mm
	Roll Core	3 inch = 76 mm
	Pre-set Length Adjustable	Yes
	Adhesive tape type	Single & Double- Sided








161-0269

- Fully automatic tape dispenser
- Digital Display
- Memory function stores up to 6 different pre-set lengths
- Pre-set tape length from 5-999 mm
- Photocell for automatic dispensing
- No core holder permits usage of varying core diameters
- Automatically stops if tape feed is impaired
- Custom coated main roller available for special applications



Weight	1600 g
Length/Width/Height	213/116/140 mm
Roll Diameter	300 mm
Roll Width	6-60 mm
Roll Core	Not relevant
Pre-set Length Adjustable	Yes
Adhesive tape type	Single & Double- Sided







Fully Automatic Dispensers

Article

161-0269-F

- Equivalent to 161-0269
- Non-adhesive finger lift

Product picture



Product picture

Technical data


Weight	1830 g
Length/Width/Height	222/116/148 mm
Roll Diameter	300 mm
Roll Width	6-60 mm
Roll Core	Not relevant
Pre-set Length Adjustable	Yes
Adhesive tape type	Single & Double- Sided

Technical data

Futures

Futures





Fully Automatic Label & Die-Cut Dispensers

Article

161-0622-120

Fully automatic label and

- die-cut dispenser
- Photocell for automatic dispensing
- The speed of the Pre-set length can be adjusted
- Incorporated counter
- Release paper rewind
- Identically constructed dispenser for tapes in: 70 mm Width: 161-0622-70 160 mm Width: 161-0622-160 200 mm Width:

161-0622-200



Weight	2900 g
Length/Width/Height	200/180/210 mm
Roll Diameter	210 mm
Roll Width	20-120 mm
Roll Core	Not relevant
Pre-set Length Adjustable	Yes
Adhesive tape type	Label & Die-cut





161-0624-120

- Fully automatic label and die-cut dispenser
- Adjustable photocell for automatic dispensing
- Distance and speed of label advancement is adjustable
- Incorporated counter
- Release paper rewind
- Identically constructed dispenser for tapes in: 60 mm Width: 161-0624-60 180 mm Width: 161-0624-180



Weight	3300 g				
Length/Width/Height	231/164/157 mm				
Roll Diameter	250 mm				
Roll Width	20-120 mm				
Roll Core	Not relevant				
Pre-set Length Adjustable	Yes				
Adhesive tape	Labels & Die-cuts				







	- /	APES									
Product	Туре	Weight in g	Length in mm	Width in mm	Height in mm	Max. Roll Diameter in mm	Max. Roll Width in mm	Roll Core in inch ø	Pre-set Length Adjustable	Adhesive Tape Type	Page
					Hand Dis	spensers					
161- 21401	Profi	410	205	40	210	170	25	3	No	Single- Sided	4
161- 21402	Profi	520	220	65	210	170	50	3	No	Single- Sided	4
161- 21403	Profi	700	215	90	210	170	75	3	No	Single- Sided	4
505008	Classic	625	180	70	250	136	50	3	No	Single- Sided	5
505009	Classic	785	180	100	250	136	75	3	No	Single- Sided	5
161- 4200	Classic	500	180	60	230	140	50	3	No	Single- Sided	5
tesa / 6300	Classic	350	150	65	240	120	50	3	No	Single- Sided	5
tesa/ 6400	Classic	500	220	60	220	140	50	3	No	Single- Sided	5
161- 0213	Special	330	150	25	210	150	25	3	No	Double- Sided	6
tesa / 6032	Special	335	220	45	80	150	25	3	No	Single- Sided	6
tesa / 6076	Special	500	165	60	130	120	50	3	No	Single- Sided	6
161- 0276-50	Special	480	165	55	125	110	50	3	No	Single- Sided	6
Bench Dispensers											
161- 0257	Classic	1280	220	79	90	110	25	1 or 3	No	Single- Sided	7
tesa / 57422	Classic	2000	230	70	130	110	25	3	No	Single- Sided	7
tesa/ 6090	Classic	2500	270	70	125	125	2 x 25	3	No	Single- Sided	7



t		it in g	ë	. <u>⊆</u>	ë	Roll eter in	Roll in	ore ø	t ر able	ive 'ype	
Product	Туре	Weight in g	Length in mm	Width in mm	Height in mm	Max. Roll Diameter in mm	Max. Roll Width in mm	Roll Core in inch ø	Pre-set Length Adjustable	Adhesive Tape Type	Page
					Bench Di	spensers					
161- 6080	Profi	3200	260	320	210	140	1 x 100 2 x 50	3	No	Single- Sided	7
tesa/ 6009	Special	340	180	85	230	210	50	3	No	Single- Sided	8
tesa/ 6012	Special	610	175	67	130	145	1 x 50 2 x 25	3	No	Single- Sided	8
161- 6021-N	Special	1400	250	150	130	180	100	Not relevant	No	Labels & Die-cuts	8
				Ba	g Sealing	Dispense	ers				
tesa/ 6094 L	Classic	1350	210	85	205	170	19	3	No	Single- Sided	8
tesa/ 6256 S	Classic	610	185	70	270	130	12	3	No	Single- Sided	8
				Αι	ıtomatic	Dispense	rs				
161- 0237	Semi- automatic	1400	200	105	125	140	25	1 oder 3	Yes	Single- Sided	9
tesa/ 6037	Semi- automatic	1400	200	105	125	140	30	3	Yes	Single- Sided	9
tesa/ 6038	Semi- automatic	2600	270	120	175	140	30	3	Yes	Single- Sided	9
161- 0259	Fully automatic	1900	258	126	150	150	3-25	Not relevant	Yes	Single & Double- Sided	10
161- 0256	Fully automatic	2400	218	137	150	180	7-50	3	Yes	Single & Double- Sided	10
161- 0269	Fully automatic	1600	213	116	140	300	6-60	Not relevant	Yes	Single & Double- Sided	10
161- 0269-F	Fully automatic	1830	222	116	148	300	6-60	Not relevant	Yes	Single & Double- Sided	10
161- 0622-120	Fully automatic	2900	200	190	180	210	20-120	Not relevant	Yes	Labels & Die-cuts	11
161- 0624-120	Fully automatic	3300	231	164	157	250	20-120	Not relevant	Yes	Label & Die-cuts	11



Accessories

Product picture

Description



Dispenser Mounting Plate with Tape Holder

- Allows the tape roll to be secured on the dispenser mounting plate
- For rolls with a max. 320 mm external diameter
- Suitable for: 161-0256, 161-0269 and 161-0269-F



Elevated Dispenser Holder with Tape Holder

- Dispenser holder with adjustable slant
- For rolls with a max. 320 mm external diameter
- Suitable for: 161-0256, 161-0269 and 161-0269-F



Dispenser Mounting Plate with Rewind Option

- Automatic rewind of the release liner
- Suitable for: 161-0256, 161-0269 and 161-0269-F



Elevated Dispenser Mounting Plate with Rewind Option

- Adjustable slant
- For max. 150 mm external roll diameter
- Automatic rewind of the release liner
- Suitable for: 161-0256, 161-0269 and 161-0269-F
- Further Accessories Upon Request




For Further Information Please See Our Other Catalogs


Check out our other catalogs: Adhesive Tapes for Electrical Insulation, Double-Sided Adhesive Tapes, Acrylic Foam Tapes and Adhesive Foam Tapes (volzMoll). These catalogs provide an in-depth overview about the chosen product group and detailed information regarding applications, product features and more.

Call or see us online to request a catalog today.


Adhesive Tapes for Electrical Insulation



Double-Sided Adhesive Tapes



Acrylic Foam Tapes



Adhesive Foam Tapes











Notes Notes	



1.21 – 11.08.2021 Pag











